

the new equipment cart system with a powerful design

HAEBERLE

multifunctional medical cart systems ...and more

type list

valid up from 1 July 2007







the new equipment cart system with a powerful design

There are many good reasons for choosing fuego:

In the medical sector, fuego equipment carts are ideally suited for the mobile and flexible accommodation of smaller equipment, as computer carts, desks with convenient height adjustment, as ergometry carts, occasional carts, etc..

They are also suitable for use in all types of offices and meeting rooms where the elegant fuego carts offer mobile solutions, e.g. for video presentations, as mobile lecterns, as occasional carts, etc..

In addition to high functionality, the exceptional design and discreet colours of fuego equipment carts are also convincing. They are versatile, flexible, very sturdy and offer plentiful storage on a small footprint. Ideal for small rooms or anywhere requiring a large amount of storage in a small space.

fuego is protected with a European design patent and offers reliable brand quality at a reasonable price!

HAEBERLE specialises in particular in providing customized OEM versions for industrial customers. Let us know your specifications and we will provide you with fuego equipment carts accented in your company colours, featuring your logo on the chassis and adapted to carry your equipment.

Please contact us!

Note:

HAEBERLE

If you wish to accommodate larger or heavier equipment and if you are looking for an even more flexible cart system, e.g. with drawers and a wide range of accessories, then we also have the perfect solution:

The swingo® and swingo®-clinic equipment cart systems!

Please request documentation.





The components:

- sturdy and very versatile chassis frame with high-grade quality castors (front castors lockable and fitted with wall deflectors),
- stable single-support aluminium profile for multiple socket boards, with large integrated cable channel for optimal accommodation of cables
- high-quality trays with shaped edge and recessed grip
- beautifully designed drawer
- elegant, steplessly adjustable and tilted desk shelves with roll protection for use, e.g. as mobile desk for lectures, presentations etc.
- console shelves for small devices with stepless height adjustment
- produced as standard with ergonomic handle
- produced as standard with additional grey plastic cable storage clip, fixed to the rear of the profile
- accessories for particular purposes, e.g. as ergometry cart.

Technical details and dimensions:

Exterior cart dimensions: $531 \times 560 \times 977 \text{ mm (w x d x h)}$ and

 $531 \times 560 \times 1127 \text{ mm (w x d x h)}$

Complete load limit of

equipment cart: 60 kg

Aluminium profile height: 800 mm or 950 mm
Front castor diameter: 65 mm (lockable)
Rear castor diameter: 125 mm (fixed)

Electrically conductive castors: available at additional charge 501 x 386 x 54.8 mm (w x d x h) Trays footprint dimensions: approx. 465 x 340 mm (w x d)

Desk shelves external

dimensions: $495 \times 542 \times 18 \text{ mm } (w \times d \times h)$

Desk shelves tilt: 20°

Console shelves external

dimensions: $431 \times 330 \times 15 \text{ mm} \text{ (w x d x h)}$

Load limit trays/desk shelves/

console shelves:

Drawer external dimensions: 494 x 386 x 131 mm (w x d x h)

Materials and colours

Mount profile: Anodised aluminium

Profile canopy/cover: Plastic, ABS, grey (6502B in accordance with NCS)
Chassis frame: Aluminium sand-cast, powder-coated grey (6502B in

accordance with NCS), fine structure

Decorative strips in the

profile from PVC

in the following colours:

grey
(6502B in accordance with NCS)
blue
(3050-R80B in accordance with NCS)

approx. 15 kg

red-violet (3050-R40B in accordance with NCS)
yellow (0050-Y in accordance with NCS)
turquoise (1050-B50G in accordance with NCS)

Handle / Rail: Steel tube, high-grade powder-coated RAL 9006 (white aluminium)

Trays: high-grade and easy-care plastic, ABS, grey

Desk shelves: multiplex, stable hard-wearing laminate wood, birch, grey stain,

18 mm thick

Console shelves: MDF (medium-density fibreboard) with a particularly fine surface,

painted grey, 15 mm thick

Drawer: ABS oriongrey with polished surface



Item Description Ref no

Equipment Carts

All equipment carts are delivered ready assembled. Dimensions, material and technical details see page 3.

fuego 1 with drawer





977 mm high, with 1 drawer, with 1 tray and pushing handle.

 Colour of decorative strips:
 1937.1

 grey
 1937.2

 blue
 1937.3

 violet red
 1937.3

 yellow
 1937.4

 turquoise
 1937.5

fuego 1



977 mm high, with 1 tray and pushing handle.

 Colour of decorative strips:
 1906.1

 grey
 1906.2

 blue
 1906.3

 violet red
 1906.3

 yellow
 1906.4

 turquoise
 1906.5

fuego 2



977 mm high, with 2 trays and pushing handle.

 Colour of decorative strips:
 1907.1

 grey
 1907.2

 blue
 1907.2

 violet red
 1907.3

 yellow
 1907.4

 turquoise
 1907.5

fuego 3



977 mm high, with 1 tray, socket board with 4 sockets and pushing handle.

 Colour of decorative strips:
 1908.1

 grey
 1908.2

 blue
 1908.3

 violet red
 1908.3

 yellow
 1908.4

 turquoise
 1908.5

fuego 4



977 mm high, with 2 trays, socket board with 4 sockets and pushing handle.

 Colour of decorative strips

 grey
 1909.1

 blue
 1909.2

 violet red
 1909.3

 yellow
 1909.4

 turquoise
 1909.5

fuego 5



1127 mm high, with 2 trays, socket board with 4 sockets and pushing handle.

 Colour of decorative strips:

 grey
 1910.1

 blue
 1910.2

 violet red
 1910.3

 yellow
 1910.4

 turquoise
 1910.5



Item Description Ref no

fuego 6



1127 mm high, with 3 trays, socket board with 4 sockets and pushing handle.

Colour of decorative strips:

grey	1911.1
blue	1911.2
violet red	1911.3
yellow	1911.4
turquoise	1911.5

fuego 7



1050 mm high (height of profile 800 mm), with 2 trays, 1 console shelf with mechanical height adjustment (adjustment height up to 300 mm) and pushing handle.

Colour of decorative strips:

grey	1915.1
olué	1915.2
violet red	1915.3
/ellow	1915.4
urquoise	1915.5

fuego desk cart



1070 mm high (height of profile 800 mm), with 1 tray, 1 desk shelf with mechanical height adjustment (adjustment height up to 300 mm) and pushing handle.

Colour of decorative strips

grey	1914.1
grey blue	1914.2
violet red	1914.3
yellow	1914.4
furquoise	1914.5

fuego computer trolley 2



1435 mm high, with a 75 and 100 mm VESA standard TFT screen mount, with a keyboard branch provided with a mouse pull-out; both attached to a height-adjustable column, with an extra shelf, a multipoint socket outlet with 4 sockets and a sliding handle.

colour of decorative strips:

grey	1928.1
grey blue	1928.2
violet red	1928.3
yellow	1928.4
furquoise	1928.5

fuego computer trolley 3





1435 mm high, with a 75 and 100 mm VESA standard TFT screen mount, attached to a height-adjustable column, with a mouse pull-out and by 215 mm frontward extendable pull-out keyboard shelf, with an extra shelf, a multipoint socket outlet with 4 sockets and a sliding handle.

Colour of decorative strips:

grey	1930.1
grey blue	1930.2
violet red	1930.3
yellow	1930.4
turquoise	1930.5

fuego endoscopy cart



1347 mm high (height of profile 950 mm), with 3 trays, socket board with 4 sockets, universal holder for endoscopy on height-adjustable column (adjustment height up to ca. 800 mm), for one-hand use, and pushing handle.

Colour of decorative strips:

1916.1
1916.2
1916.3
1916.4
1916.5

Item Description Ref no

fuego ergometry cart 1 prepared for taking up the suction unit Strässle DT 100



height of the cart without suction unit 1048 mm (height of profile 800 mm), with 2 trays, socket board with 4 sockets and pushing handle. The cart is prepared to take up the suction unit, but delivery is WITHOUT suction unit.

Colour of decorative strips:

grey	191 <i>7</i> .1
grey blue	1917.2
violet red	191 <i>7</i> .3
yellow	191 <i>7</i> .4
furquoise	191 <i>7</i> .5

fuego ergometry cart 2 prepared for taking up the suction unit KISS



height of the cart without suction unit 977 mm (height of profile 800 mm), with 2 trays, socket board with 4 sockets and pushing handle. The cart is prepared to take up the suction unit, but delivery is WITHOUT suction unit. The supporting tube of the KISS suction unit has to be adapted at our factory. Please send us the supporting tube of the suction unit together with your order.

Colour of decorative strips:

1918.1
1918.2
1918.3
1918.4
1918.5

fuego ergometrycart



1650 mm high (high of profile 950 mm), with 2 trays, socket board with 4 sockets and pushing handle, 1 wire basket, cable and hose holder

Colour of decorative strips:

grey	1919.1
grey blue	1919.2
violet red	1919.3
yellow	1919.4
turquoise	1919.5

System parts

The reference numbers of the system parts include the complete range of attachment fittings.

Castors Surcharge for 4 electrically conductive castors, 2 with Ø 65 mm (lockable), 2 castors with Ø 125 mm.

Ref. no. **19023**



steel, powder-coated, RAL 9006

Dim.: 495 x 379 x 4 mm (w x d x h)

Ref. no. 19330



Console shelf



medium-density fibreboard (MDF) with particularly fine surface, painted grey, load capacity approx. 15 kg, mechanical height adjustment, adjustment height up to 300 mm.

Dim.: 431 x 330 x 15 mm (w x d x h)

Ref. no. 19088



ABS plastic

Dim.: 464 x 340 mm (w x d), Exterior dim.: 501 x 386 x 54,8 mm (w x d x h), max. load capacity ca. 15 kg.

Ref. no. 19033



Desk shelf



from stable hard-wearing laminate wood, birch, grey stain, with roll protection, fixed tilt 20°, load capacity approx. 15 kg, mechanical height adjustment, adjustment height up to 300 mm.

Dim.: 495 x 542 x 18 mm $(w \times d \times h)$


Ref. no. 19087

Distance terminal

fitting piece between shelf and column for more depth (3,8 cm)

Ref. no. 19312





extendable frontwards, attached to a height adjustable column, mouse pullout extendable at each side; RAL 9006 white aluminium powder coated steel.

Setting dim shelf: 360 x 295 mm (w x d) mouse pull-out each:

 $179 \times 171 \, \text{mm} (\text{w} \times \text{d})$

Ref. no. 19319

PC support



for fastening sideways to the fuego profile; RAL 9006 white aluminium powder coated steel. The flexible fixing strap ensures a firm hold of the processor. It is suitable for all conventional models, as the top mount is vertically adjustable.

right

Ref. no. **19230**

left

Ref. no. 19245

Socket board



4 grounding sockets in accordance with DIN 49440, 16A-250 VAC, light-grey cable HO5VVF, 3G 1.5 mm², 3 m in length with moulded grounding plug, green 2-pin switch, quality housing anodised aluminium, incl. 2 grey plastic fastening angles.

 $44,5 \times 44,5 \times 264 \text{ mm (w x d x h)}.$ The multiple socket board corresponds to EN 60 601-1 and all other relevant DIN, EN and IEC standards.

Ref. no. 19029


Rail for storage shelf



made from steel tube, high-grade powder-coated RAL 9006 (white aluminium), Ø 6 mm, surrounds shelf on three sides, as additional stop for equipment, fixed on profile.

Ref. no. 19017

Tray for notebook



with mousepad, extendable to the right or left side; RAL 9006 white aluminium powder coated steel

Setting dim. shelf: $491 \times 370 \text{ mm (w x d)}$

mouse pull-out dim.: 100 x 171 mm (w x d)

Ref. no. 19320

TFT mount with keyboard shelf



mount for TFT monitor with VESA standard 75 and 100, on heightadjustable column made from nickelchromium steel, max. adjustable height 300 mm, and solid keyboard arm with mouse pullout. The keyboard arm and mouse pullout are supplied with a comfortably padded wrist support in black.

Ref. no. 19222

TFT-mount



mount for TFT monitor at a heightadjustable, 75 and 100 mm VESA standard column; RAL 9006 white aluminium powder coated steel

Ref. no. 19223

keyboard and mouse pull-out



keyboard pull-out shelf extendable frontward by 215 mm; mouse pull-out extendable sideways by 100 mm at each side; RAL 9006 white aluminium powder coated steel.

Ref. no. 19220

Holder for Kensington-Lock



attached to the profile, for protection of notebooks. Without the lock.

Ref. no. 16424

Isolation transformers in different executions on special request.



Accessories

All accessories can be easily fitted to the carts. The reference numbers contain the accessory part complete with attachment fittings. The price includes assembly.

Drawer



ABS oriongrey with polished surface to be mounted under a tray.

Dim.: $494 \times 386 \times 131 \text{ mm} (w \times d \times h)$

Ref. no. 19300

new

Handle



to be mounted at the front side of a tray, white-aluminium, RAL 9006

Ref. no. 19367

new

Lock

for the fuego drawer

Ref. no. 19376



Cable and hose holder



grey, reach approx. 950 mm

Ref. no. 19034



chrome plated with 4 hooks, Ø 25 mm, for one-hand use

Ref. no. 19035

Wire basket



to be mounted at the front side **of the profile**, steel, powder-coated RAL 9006 (white aluminium)

 $418 \times 268 \times 100 \text{ mm} (w \times d \times h)$

Ref. no. 19135

Wire basket extendable



extendable fpr the front (215 mm), powder-coated RAL 9006 (white aluminium)

 $418 \times 268 \times 100 \text{ mm} (w \times d \times h)$

Ref. no. 19268

Wire basket




to be mounted at the rear side of the profile,

steel, powder-coated RAL 9006 (white aluminium)

 $377 \times 196 \times 115 \text{ mm} (w \times d \times h)$

Ref. no. 19146





for mains cable

Ref. no. 19015





Planning sketch fuego 997 mm high






Planning sketch fuego 1127 mm high





HAEBERLE







HAEBERLE GmbH + Co. KG

Breitwiesenstraße 13 · D-70565 Stuttgart
P.O.Box 800524 · D-70505 Stuttgart
Phone ++49 (0) 7 11/7 83 14-0
Fax ++49 (0) 7 11/7 83 14-77
e-mail: info@haeberle-med.de
www.haeberle-med.de

Your medical distributor