

HAEBERLE

multifunctional medical
cart systems ...and more

SWINGO® and
SWINGO®-clinic
Equipment cart
system

price list

valid up from 1 July 2008



HAEBERLE SWINGO® 45 und 60

HAEBERLE swingo® – strong design and accent of fresh colours

The basis of the trolley is a patented profile with lots of clever, problem solving ideas. Individual accessories can be attached to the slots at the front and sides. An integrated cable duct with rubber lip makes annoying cables simply disappear. 25 mm diameter rods can be safely inserted from the top, thus saving space. Trays and drawers can be easily fixed in predetermined steps in the frame.

- **Frame:** Tubular steel with plastic tandem castors and super-stable aluminium carrier unit with integrated cable duct, grey impact protection caps.
- **Castors:** 100 mm plastic tandem castors, optionally lockable and/or electrically conductive.

- **Trays:** Wood-plastic combination, high-quality laminated, with all round 22 mm thick edging, non-fade and containing no formaldehyde, in white.
- **Drawers:** Wood-plastic combination, high-quality laminated, non-fade and containing no formaldehyde, easy-glide bearing telescopic action with engaging mechanism, closed, easy-to-clean surfaces
- **Colours:** Handles and decorative strips in 5 modern, highlight colours according to the latest NCS design scale: grey, blue, turquoise, yellow, violet red.

- **Load carrying capacity:** drawer surface load up to 15 kg, tray surface load up to 30 kg. Maximum overall load taking into account the aspect of tilt safety, up to 120 kg.
- **Dim.:** Width swingo® 60: 700 mm
swingo® 45: 545 mm
depth 560 mm;
heights 500/810/1.120/1.380 mm, special heights available on request.

A quality product made in Stuttgart. Patented design and registered pattern.

HAEBERLE SWINGO®-clinic

swingo®-clinic - the equipment support system made of metal

swingo®-clinic is the continuation of the swingo®- system, mainly developed for clinical use. Visually the system is adapted to the swingo®- line.

swingo®-clinic. The attractive racy design, the choice of colours and a lot of practical details are outstanding criteria. **And swingo®-clinic offers even more advantages:**

- The sturdy, non-twisting metal construction guarantees high load-bearing capacity (130 or 250 kg)
- Trays and drawers are made of **galvanized, quality plated steel sheet**, they are resistant against disinfectants, easy-to-clean and non-fade. Colour: greywhite, RAL 9002

- Trays are 22 mm strong, very stable and fixed twice at two sides in order to prevent unwelcome inclination of the trays caused by high loading. Tray surface load up to 50 kg.
- The super-stable aluminium carrier unit offers unknown possibilities to fix system parts and various accessories
- **The integrated cable duct avoids chaos of cables**
- **Drawers with telescopic guidance which are totally extensible ensure high handling comfort.** Drawer surface load up to 30 kg.
- High quality castors in different sizes (Ø 100, 125 oder 150 mm) guarantee the manoeuvrability of the cart even with high loading.

Handles and decorative strips are available in 5 modern colours according to the new NCS colour scale.

Order the practical and stylish push handle at the same time.

Attention:


All function carts mentioned in this price list except basic trolleys are delivered already assembled without surcharge. Disassembled delivery is possible on request.

Please note: the return of disassembled items will be accepted only if the items are in perfect condition and have not been mounted!



HAEBERLE specializes in particular in providing customized OEM versions for industrial clients. Let us know your specifications and we will provide you a product according to your personally requirements.

The important dimensions:





Castors Ø	Height of chassis (F)	Total height (H) with carrier unit 645 mm	Total height (H) with carrier unit 957 mm	Total height (H) with carrier unit 1218 mm
100 mm	160 mm	810 mm	1.120 mm	1.380 mm
125 mm	210 mm	860 mm	1.170 mm	1.440 mm
150 mm	230 mm	880 mm	1.190 mm	1.450 mm

Please see planing sketch on page 23.

Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo®		swingo®-clinic	
		wood-plastic version		metal-version	


swingo® special model ultrasonic cart

Ultrasonic cart

<p>Ultrasonic cart</p> 	<p>chassis with basic shelf, castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height 645 mm, above shelf with special dimensions 350 x 550 mm (w x d) with handle at the frontside, 1 shelf 350 x 450 mm (w x d), horizontal arm, height between the 2 shelves: 240 mm;</p> <p>Dim.: 450 x 610 x 810 mm (w x d x h)</p> <p>Colour of handle and decorative strips: grey 15855 512,- A Colour of handle and decorative strips: blue 16250 512,- A</p>	
<p>Drawer 100 mm high</p> 	<p>with easy-gliding telescopic guidance with engaging mechanism. To be mounted under shelf.</p> <p>Inner dim.: 278 x 384,5 x 74 mm (w x d x h)</p> <p>Colour of handle and decorative strips: grey 16202 149,- A Colour of handle and decorative strips: blue 16249 149,- A</p>	



swingo® 45 and swingo®-clinic 45 - the small version


Basic cart 45

<p>Basic cart with 1 drawer</p> 	<p>castors Ø 100 mm, delivery unassembled; assembled delivery against surcharge.</p> <p>Dim.: 545 x 560 x 810 mm (w x d x h)</p> <p>Push handles see on page 11.</p> <p>Colour of drawer handle and decorative strips:</p> <p>grey 13191 453,- A blue 13192 violet red 13193 yellow 13194 turquoise 13195</p>	<p>13171 598,- C 13172 13173 13174 13175</p>
--	--	---

Function carts 45 Delivery assembled without surcharge.


For optimal stability each cart with carrier unit up from 957 mm and without drawers has to be equipped with one horizontal arm, Ref.no. 14611.


<p>Equipment tower</p> 	<p>chassis with basic shelf, castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height 957 mm, 4 trays 450 mm deep, 1 drawer</p> <p>Dim.: 545 x 560 x 1.120 mm (w x d x h)</p> <p>Push handles see on page 11.</p> <p>Colour of drawer handle and decorative strips:</p> <p>grey 13881 730,- A blue 13882 violet red 13883 yellow 13884 turquoise 13885</p>	<p>13691 998,- C 13692 13693 13694 13695</p>
<p>Endoscopy cart</p> 	<p>chassis with basic shelf and 4 electrically conductive castors Ø 125 mm, 2 lockable, maximum load capacity 250 kg. Aluminium carrier unit with standard height 1218 mm, 5 shelves 450 mm deep, 1 drawer 100 mm high.</p> <p>Dim.: 5545 x 560 x 1.440 mm (w x d x h)</p> <p>Push handles see on page 11.</p> <p>Colour of drawer handle and decorative strips:</p> <p>grey 13821 930,- A blue 13822 violet red 13823 yellow 13824 turquoise 13825</p>	<p>13081 1.213,- C 13082 13083 13084 13085</p>


Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo®	wood-plastic version	swingo®-clinic	metal-version
 <p>Ergometry cart 45</p>	chassis with castors Ø 100 mm, 2 lockable, 1 drawer, 100 mm high, shelf 300 mm deep, cable holder Ref.no.13926 Dim.: 545 x 560 x 1.120 mm (w x d x h) Push handles see on page 11.	Colour of drawer handle and decorative strips: grey 16451 719,- A blue 16452 violet red 16453 yellow 16454 turquoise 16455		16461 882,- C 16462 16463 16464 16465	

swingo® 60 and swingo®-clinic 60

Basic carts 60

 <p>Basic model with 1 drawer</p>	castors 100 mm Ø, please order push handles separately, delivery disassembled; assembled delivery against surcharge. Dim.: 700 x 560 x 810 mm (w x d x h) Push handles see on page 11.	Colour of drawer handle and decorative strips: grey 13011 471,- A blue 13012 violet red 13013 yellow 13014 turquoise 13015		13001 679,- C 13002 13003 13004 13005	
--	---	--	--	---	--


 <p>Low height cart with 1 drawer</p>	fits neatly under a treatment bed. Practical and space saving! Castors Ø 100 mm; Delivery disassembled; assembled delivery against surcharge. Dim.: 700 x 560 x 500 mm (w x d x h) Push handles see on page 11.	Colour of drawer handle and decorative strips: grey 13111 485,- A blue 13112 violet red 13113 yellow 13114 turquoise 13115		13071 659,- C 13072 13073 13074 13075	
---	--	--	--	---	--






 <p>Drawer 100 mm high</p>	with easy-glide telescopic guidance with engaging mechanism. surface load up to 15 kg Inner dim.: 529 x 384,5 x 74 mm (w x d x h)	Colour of drawer handle and decorative strips: grey 13101 144,- A blue 13102 violet red 13103 yellow 13104 turquoise 13105			
		The basic model, 800 mm high, can be equipped with up to 6 drawers, the low height cart with up to 3 drawers.	with totally extensible guidance. surface load up to 30 kg Inner dim.: 506 x 396 x 74 mm (w x d x h)	grey 13211 247,- C blue 13212 violet red 13213 yellow 13214 turquoise 13215	





Function carts 60

Computer cart / Monitoring cart

Cart combinations with excellent results in day-to-day use. Can be added to or altered at any time. Push handles are not part of basic combination. **All models shown on the following pages are delivered assembled without surcharge.**




 <p>Computer cart</p>	chassis with basic shelf 300 mm and castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height of 645 mm. Drawer 100 mm high with extensible shelf for key-board, printer or devices including extension for mouse pad; shelf. Dim.: 700 x 560 x 810 mm (w x d x h) Push handles see on page 11.	Colour of drawer handle and decorative strips: grey 13631 638,- A blue 13632 violet red 13633 yellow 13634 turquoise 13635		13641 781,- C 13642 13643 13644 13645	
		Recommended accessories: Extensible tray 13972 136,- C Socket board 16327 68,- A			

Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €			
		swingo® wood-plastic version		swingo®-clinic metal-version				
 <p>Double monitoring PC cart</p>	<p>chassis 60 with castors Ø 100 mm, 2 lockable, basic shelf 300 mm deep, horizontal arm. Extensible shelf for keyboard and extension for mouse pad, right/left. 2 TFT mounts, height-adjustable, PC support for fastening sideways, socket board with 4 sockets.</p> <p>Dim. basic cart: 700 x 560 x 810 mm (w x d x h)</p>	Colour of drawer handle and decorative strips:						
		grey	16471			1.210,- A	16481	1.242,- C
		blue	16472				16482	
		violet red	16473				16483	
		yellow	16474				16484	
		turquoise	16475				16485	
 <p>Monitoring cart</p>	<p>chassis 60 with castors Ø 100 mm, 2 lockable. 2 storage shelves, drawer 100 mm heigh. Extensible shelf for keyboard and extension for mouse pad, right/left, horizontal arm, socket board. Monitor mount for flat screen attached to the horizontal arm.</p> <p>Dim. basic cart: 700 x 560 x 1.110 mm (w x d x h)</p>	Colour of drawer handle and decorative strips:						
		grey	16491			1.068,- A	16501	1.160,- C
		blue	16492				16502	
		violet red	16493				16503	
		yellow	16494				16504	
		turquoise	16495				16505	
Equipment tower / Endoscopy cart / MIS cart / Ergometry cart								
 <p>Equipment tower</p>	<p>chassis with basic shelf and castors Ø 100 mm, 2 lockable, load capacity 130 kg. Aluminium carrier unit with standard height 957 mm. 4 shelves 450 mm deep, 1 drawer 100 mm high, 1 horizontal arm for a socket board.</p> <p>Dim.: 700 x 560 x 1.120 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	Colour of drawer handle and decorative strips:						
		grey	13671			805,- A	13681	1.205,- C
		blue	13672				13682	
		violet red	13673				13683	
		yellow	13674				13684	
		turquoise	13675				13685	
 <p>Endoscopy cart</p>	<p>chassis with basic shelf and 4 electrically conductive castors Ø 150 mm, 2 lockable, maximum load capacity 250 kg. Aluminium carrier unit with standard height 1218 mm, 5 shelves 450 mm deep, 1 drawer 100 mm high, 1 horizontal arm for a socket board..</p> <p>Dim.: 700 x 560 x 1.450 mm (w x d x h)</p> <p>Holding device for endoscopes please see on page 22. Push handles see on page 11.</p>	Colour of drawer handle and decorative strips:						
		grey	13841			1.082,- A	13371	1.439,- C
		blue	13842				13372	
		violet red	13843				13373	
		yellow	13844				13374	
		turquoise	13845				13375	
 <p>Endoscopy cart 60.2</p>	<p>chassis 60 with electrically conductive castors Ø 150 mm, 2 lockable. Basic shelf, 4 shelves 450 mm deep, 1 extensible shelf. Drawer 100 mm heigh, horizontal arm and universal holder for endoscopy incl. the right safety isolation transformer.</p> <p>Dim.: 700 x 560 x 1.450 mm (w x d x h)</p>	Colour of drawer handle and decorative strips:						
		grey					16511	2.725,- C
		blue					16512	


Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo® wood-plastic version		swingo®-clinic metal-version	
 <p>MIS-cart</p>	<p>Chassis enlarged towards the back, with basic shelf and 4 electrically conductive castors Ø 150 mm, 2 lockable, maximum load capacity 250 kg; inclusive horizontal arm and anti-sliding mat; aluminium carrier unit with standard height of 1218 mm, 5 shelves 450 mm deep, 1 drawer 100 mm high, 1 bottle holding device for 5/10 liters bottles, 1 socket board with 6 sockets.</p> <p>Dim.: 700 x 560 x 1.450 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13851 1.395,- A blue 13852 violet red 13853 yellow 13854 turquoise 13855</p>		<p>13461 1.758,- C 13462 13463 13464 13465</p>	
		 <p>Ergometry-/stimulant current cart</p>	<p>Chassis with basic shelf and castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height of 1218 mm. Drawer, 100 mm high. Shelf, 30 cm deep. Cable holder.</p> <p>Dim.: 700 x 560 x 1.380 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13331 783,- A blue 13332 violet red 13333 yellow 13334 turquoise 13335</p> <p>Recommended accessories:</p> <p>additional shelf, 300 mm deep 13905 54,- A</p>	
 <p>Injection cart PicBox®Plus</p>	<p>Chassis with basic shelf and castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height of 1218 mm. Drawer 100 mm high. Drawer insert, fixed compartment. PicBox®, injection set and KOMBI-set. Schluckfix needle container (set with 20 boxes). Waste bowl with s/s dish, arm support. The Halux® 35 lamp is not included in the basic version</p> <p>Dim.: 780 x 560 x 1.380 mm (w x d x h)</p> <p>Push handles see on page 11.</p>			<p>Colour of drawer handle and decorative strips:</p> <p>grey 13321 1.353,- A blue 13322 violet red 13323 yellow 13324 turquoise 13325</p> <p>Recommended accessories:</p> <p>CUPFIX ampoule opener 13921 116,- A Halogen examination light Halux® see on page 22</p>	
		 <p>Injection cart COMPACT</p>	<p>Chassis with basic shelf and castors Ø100 mm, 2 lockable, aluminium carrier unit with standard height of 1218 mm. Drawer 100 mm high. Drawer insert, fixed compartments. COMPACT injection set. Needle container Medi-Müll (set with 20 boxes). Arm rest. Waste bowl with s/s dish.</p> <p>Dim.: 970 x 560 x 1.380 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13311 1.374,- A blblue 13312 violet red 13313 yellow 13314 turquoise 13315</p> <p>Recommended accessories:</p> <p>CUPFIX ampoule opener 13921 116,- A Halogen examination light Halux® see on page 22</p>	




Item	Description	Ref.no.	Price Euro €		Ref.no.	Price Euro €
		swingo®			swingo®-clinic	
		wood-plastic version			metal-version	

Emergency cart / Anaesthesia cart

<p>Emergency cart I</p> 	<p>chassis with basic shelf and 4 electrically conductive castors Ø 150 mm, 2 lockable, maximum load capacity 250 kg. Aluminium carrier unit with standard height of 645 mm. S/s tray 450 mm deep. 2 drawers 100 mm high. 1 drawer 200 mm high.</p> <p>Dim.: 700 x 560 x 880 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13521 1.252,- A blue 13522 violet red 13523 yellow 13524 turquoise 13525</p> <p>Recommended accessories:</p> <p>Cardiac massage board 13948 223,- A Single use seal 13958 85,- C</p>	<p>13361 1.540,- C 13362 13363 13364 13365</p> <p>13948 223,- A 13958 85,- C</p>
<p>Emergency cart II</p> 	<p>chassis with basic shelf and 4 electrically conductive castors Ø 150 mm, 2 lockable, maximum load capacity 250 kg. Aluminium carrier unit, height 957 mm. Shelf 300 mm deep with anti-sliding mat for defibrillator, s/s tray, 450 mm deep, 2 drawers 100 mm high, 1 drawer 200 mm high.</p> <p>Dim.: 700 x 560 x 1.190 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13831 1.455,- A blue 13832 violet red 13833 yellow 13834 turquoise 13835</p> <p>Recommended accessories:</p> <p>Cardiac massage board 13948 223,- A Single use seal 13958 85,- C</p>	<p>13421 1.679,- C 13422 13423 13424 13425</p> <p>13948 223,- A 13958 85,- C</p>
<p>Anaesthesia cart</p> 	<p>Chassis with basic shelf and 4 electrically conductive castors Ø 150 mm, 2 lockable maximum load capacity 250 kg. Aluminium carrier unit, height 645 mm. 5 drawers 100 mm high. Gallery.</p> <p>Dim.: 700 x 560 x 920 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13861 1.226,- A blue 13862 violet red 13863 yellow 13864 turquoise 13865</p>	<p>13441 1.698,- C 13442 13443 13444 13445</p>

Gynaecology cart / Standing desk / Nursing cart for rooming-in

<p>Gynaecology cart</p> 	<p>Basic cart with castors Ø 100 mm, 2 lockable. Drawer 100 mm high, heated. Drawer 100 mm high. Drawer insert, fixed compartment. Waste bowl with s/s dish. Used instrument container with poly-propylene bowl. The Halux® 35 light is not included in the basic version.</p> <p>Dim.: 700 x 560 x 810 mm (w x d x h)</p> <p>Attention: if you order the Halux® 35 lamp at the same time only one push handle can be used.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey 13341 1.306,- A blue 13342 violet red 13343 yellow 13344 turquoise 13345</p> <p>Recommended accessories:</p> <p>Socket strip 16327 68,- A Halogen examination light Halux® 20 S see on page 22</p>	<p>13511 1.662,- C 13512 13513 13514 13515</p> <p>16327 68,- A</p>
--	---	---	--

Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo® wood-plastic version		swingo®-clinic metal-version	
Writing desk swingo® 	<p>Chassis with basic shelf 300 mm deep and 4 castors Ø 100 mm, 2 lockable. Aluminium carrier unit, height 957 mm. Shelf with adjustable inclination 450 mm deep with antislip edge, drawer 100 mm high, shelf 450 mm deep, drawer insert with fixed compartments, writing height: approx. 1040 mm.</p> <p>Dim.: 700 x 560 x 1.120 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey blue violet red yellow turquoise</p>		<p>13451 1.028,- C 13452 13453 13454 13455</p>	
		<p>13661 775,- A 13662 13663 13664 13665</p>			
Standing desk swingo® 	<p>Chassis with basic shelf 300 mm deep, 2 lockable castors. Drawer 100 mm high. Desk attachment consisting of: angled writing board, dim.: 600 x 450 mm (w x d), utensil insert and pencil holder, storage compartment, internal height (front): approx. 200 mm, writing height: approx. 1030 mm.</p> <p>Dim. of the cart: 700 x 560 x 1.150 mm (w x d x h)</p> <p>Push handles see on page 11.</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey blue violet red yellow turquoise</p>			
		<p>13351 757,- A 13352 13353 13354 13355</p>			
Nursing cart for rooming-in 	<p>chassis with basic shelf and castors Ø 100 mm, 2 lockable, aluminium carrier unit with standard height of 645 mm. Upholstered swaddling surface, shelf for accessories, drawer 200 mm high, at the right side basket for cream, powder etc., aluminium colour waste collector Piccolo with lid and 1 roll of plastic bags 15 ltrs. content.</p> <p>Dim.: 700 x 750 x 920 mm (w x d x h)</p>	<p>Colour of drawer handle and decorative strips:</p> <p>grey blue violet red yellow turquoise</p>			
		<p>13651 979,- A 13652 13653 13654 13655</p>			
Swaddling surface	seperately	14875	65,- A		

Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo®	wood-plastic version	swingo®-clinic	metal-version

System parts swingo, swingo clinic 45 and 60


The reference numbers include the attachment fittings.

45 cm wide

60 cm wide

Chassis

Chassis with basic shelf



Attention: for optimal stability each cart has to be equipped with at least 1 drawer or 1 horizontal arm, Ref.no 14611

Individually composed carts are delivered assembled without extra charge.


Dim.: 545 x 560 mm (w x d) with grey bumpers and
 ✕ castors Ø 100 mm, for loading capacity up to 130 kg, height: 149 mm

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13130	163,- A	13100	197,- C

✕ castors Ø 125 mm, 2 lockable, for loading capacity up to 130 kg, height: 200 mm

13120	244,- A	13110	284,- C
--------------	---------	--------------	---------

Chassis with basic shelf



Attention for optimal stability each cart has to be equipped with at least 1 drawer or 1 horizontal arm, Ref.no 13947

Individually composed carts are delivered assembled without extra charge.

Dim.: 700 x 560 mm (w x d), with grey bumpers and
 ✕ castors Ø 100 mm, for loading capacity up to 130 kg, height: 149 mm

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13300	173,- A	13600	217,- C


✕ castors Ø 125 mm, 2 lockable, for loading capacity up to 130 kg, height: 200 mm

13200	294,- A	13500	326,- C
--------------	---------	--------------	---------

✕ castors Ø 150 mm, electrically conductive, 2 lockable, for loading capacity up to 250 kg, height: 224 mm

13400	326,- A	13700	358,- C
--------------	---------	--------------	---------

Chassis enlarged towards the back



for mounting oxygen bottles; castors Ø 150 mm, electrically conductive, 2 lockable, for loading capacity up to 250 kg, height: 224 mm inclusive of horizontal arm and anti-sliding mat for support of the bottles.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13900	469,- A	13800	522,- C

Chassis with 300 mm shelf



the 300 mm deep shelf is suitable for seated and standing activities

Dim.: 545 x 300 mm (w x d) with grey bumpers and castors
 Ø 100 mm, for loading capacity up to 130 kg, height: 149 mm

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16671	161,- A	16672	194,- C

Chassis with 300 mm shelf






the 300 mm deep shelf is suitable for seated and standing activities

Dim.: 700 x 300 mm (w x d) with grey bumpers and castors
 Ø 100 mm, for loading capacity up to 130 kg, height: 149 mm

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16673	169,- A	16674	197,- C


Item	Description	Ref.no.	Price Euro €		Ref.no.	Price Euro €
		swingo®			swingo®-clinic	
		wood-plastic version			metal-version	

Castors/surcharges

 <p>Castors Ø 100 mm</p>	<p>surcharge for 2 lockable plastic castors Ø 100 mm, load capacity up to 130 kg</p>	13906	21,-	A	13906	21,-	A
	<p>electrically conductive surcharge for 4 plastic castors Ø 100 mm, 2 lockable, load capacity up to 130 kg.</p>	13907	83,-	A	13907	83,-	A
 <p>Castors Ø 125 mm</p>	<p>electrically conductive surcharge for 4 plastic castors Ø 125 mm, 2 lockable, load capacity up to 130 kg.</p>	13939	103,-	C	13939	103,-	C
	<p>surcharge for 4 plastic castors Ø 125 mm, 2 lockable, load capacity up to 130 kg.</p>	13938	54,-	C	13938	54,-	C
 <p>Castors Ø 150 mm</p>	<p>electrically conductive surcharge for 4 metal castors Ø 150 mm, 2 lockable, load capacity up to 250 kg.</p>	13940	141,-	C	13940	141,-	C
	<p>surcharge for 4 metal castors Ø 150 mm, 2 lockable, load capacity up to 250 kg.</p>	15702	130,-	C	15702	130,-	C


Carrier units / Additional cable duct / Cover profile

For optimal stability each cart with carrier unit up from 957 mm and without drawers has to be equipped with one horizontal arm, Ref.no. 14611 or Ref.no. 13947.

 <p>Aluminium carrier unit, a pair, standard heights</p>	<p>strong and stable, with integrated cable duct and decorative strips in different colours.</p> <p>The total height of the cart depends on the size of the castors. See on page 2</p>	height 645 mm						
		Colour of decorative strips:						
		grey	13611	166,-	A	13611	166,-	A
		blue	13612			13612		
		violet red	13613			13613		
		yellow	13614			13614		
		turquoise	13615			13615		
		height 957 mm						
		Colour of decorative strips:						
		grey	13711	225,-	A	13711	225,-	A
		blue	13712			13712		
		violet red	13713			13713		
yellow	13714			13714				
turquoise	13715			13715				
height 1218 mm								
Colour of decorative strips:								
grey	13621	273,-	A	13621	273,-	A		
blue	13622			13622				
violet red	13623			13623				
yellow	13624			13624				
turquoise	13625			13625				

Item	Description	Ref.no.	Price Euro €	Ref.no.	Price Euro €
		swingo®	wood-plastic version	swingo®-clinic	metal-version


Aluminium carrier unit, a pair, individual heights



Please state measurements in 52 mm steps.
The total height of the cart depends on the size of the castors. See page 2

height	colours	grey	blue	violet red	yellow	turquoise	price
0 – 645 mm		13731	13732	13733	13734	13735	199,- C
0 – 1218 mm		13741	13742	13743	13744	13745	302,- C
0 – 2000 mm		13751	13752	13753	13754	13755	447,- C


Additional cable duct



offers additional space for different cables
Elegant aluminium profile fitting to swingo®-profile. Mounting at the rear of the shelf or at the right or left side of the shelf.
Unit price

height 957 mm	16187	126,80 C	16187	126,80 C
height 1218 mm	16180	134,10 C	16180	134,10 C
individual height 0-2000 mm (please indicate height at the order)	16182	160,10 C	16182	160,10 C

Cover profile




for frontal and lateral slots of swingo® profile. For all heights, set for pair of profiles, grey

15824	55,- A	15824	55,- A
--------------	--------	--------------	--------

Handles


Push handle



exclusive metal design, high quality laminate.
Unit price
Attention: this will make the cart 50 mm wider (with 1 handle).
Colour:
grey
blue
violet red
yellow
turquoise

13801	48,- A	13801	48,- A
13802		13802	
13803		13803	
13804		13804	
13805		13805	

Push handle, short



exclusive metal design, high quality laminate.
For mounting at the front side of a shelf
Dim.: 260 x 60 x 20 mm
Unit price

16166	48,- A	16166	48,- A
16167	48,- A	16167	48,- A


System parts

45 cm wide

60 cm wide

Drawers

Drawer
100 mm high



with easy-gliding telescopic guidance with engaging mechanism, surface load up to 15 kg.
Please order additional shelf 450 mm deep to cover the top drawer.


Inner Dim. swingo®:
378 x 384,5 x 74 mm (w x d x h)

Inner Dim. swingo®-clinic:
356 x 396 x 74 mm (w x d x h)

swingo® wood-plastic version			swingo®-clinic metal-version	
color of handle	Ref.no.	Price €	Ref.no.	Price €
grey	13181	129,- A	13891	213,- C
blue	13182		13892	
violet red	13183		13893	
yellow	13184		13894	
turquoise	13185		13895	

Please order additional shelf 450 mm deep to cover the top drawer!

Drawer
200 mm high



with easy-gliding telescopic guidance with engaging mechanism, surface load up to 15 kg. Please order additional shelf 450 mm deep to cover the top drawer..

Inner Dim. swingo®:
378 x 384,5 x 120 mm (w x d x h)

Inner Dim. swingo®-clinic:
356 x 396 x 150 mm (w x d x h)

swingo® wood-plastic version			swingo®-clinic metal-version	
color of handle	Ref.no.	Price €	Ref.no.	Price €
grey	16001	276,- A	16011	326,- C
blue	16002		16012	
violet red	16003		16013	
yellow	16004		16014	
turquoise	16005		16015	

Surcharge for **lockable drawer**


for drawer 100 mm height

swingo® wood-plastic version			swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €	
13994	59,- A	15869	95,-	C

for drawer 200 mm height

swingo® wood-plastic version			swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €	
13995	84,- A	15869	95,-	C

Drawer
100 mm high,
450 mm deep



with easy-glide spherical telescopic guidance and engaging mechanism.

surface load up to 15 kg.

Inner Dim.:
529 x 384,5 x 74 mm (w x d x h)

swingo®-clinic metal-version with totally extensible guidance, surface load up to 30 kg

Inner Dim.:
506 x 396 x 74 mm (w x d x h)

swingo® wood-plastic version			swingo®-clinic metal-version	
color of handle	Ref.no.	Price €	Ref.no.	Price €
grey	13101	144,- A	13211	247,- C
blue	13102		13212	
violet red	13103		13213	
yellow	13104		13214	
turquoise	13105		13215	

Please order additional shelf 450 mm deep to cover the top drawer!

Drawer
200 mm high, 450 mm
deep with guard rail




with easy-glide spherical telescopic guidance and engaging mechanism.

surface load up to 15 kg

Inner Dim.:
529 x 384,5 x 120 mm (w x d x h)

swingo® wood-plastic version			swingo®-clinic metal-version	
color of handle	Ref.no.	Price €	Ref.no.	Price €
grey	13201	297,- A		
blue	13202			
violet red	13203			
yellow	13204			
turquoise	13205			



with totally extensible guidance.

surface load up to 30 kg

Inner Dim.:
506 x 396 x 150 mm (w x d x h)

swingo®-clinic metal-version		
color of handle	Ref.no.	Price €
grey	13221	375,- C
blue	13222	
violet red	13223	
yellow	13224	
turquoise	13225	

Please order additional shelf 450 mm deep to cover the top drawer.

Surcharge for **lockable drawer**

for drawer 100 mm height

swingo® wood-plastic version			swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €	
13962	59,- A	15003	95,-	C

for drawer 200 mm height

swingo® wood-plastic version			swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €	
13990	84,- A	15003	95,-	C

System parts

45 cm wide

60 cm wide

Drawer 100 mm high
450 mm deep,
heatable



Dimensions of heatable surface:
475 x 335 x 20 mm (w x d x h)


(swingo®) and (swingo®-clinic)

swingo® wood-plastic version			swingo®-clinic metal-version	
color of handle	Ref.no.	Price €	Ref.no.	Price €
grey	13401	559,- A	13151	759,- C
blue	13402		13152	
violet red	13403		13153	
yellow	13404		13154	
turquoise	13405		13155	

Single use seal / PC support / Drawer inset


Single use seal

for up to 3 drawers, metal, without seals



Single use seal

for up to 3 drawers, metal, without seals



swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13958	85,- C	13958	85,- C

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13958	85,- C	13958	85,- C

single use seals, blue p. 100

single use seals, blue p. 100


13998	19,70 C	13998	19,70 C
--------------	---------	--------------	---------

13998	19,70 C	13998	19,70 C
--------------	---------	--------------	---------

PC support

for fastening sideways and to the right or left of the swingo profile with fixing strip.
Suitable for all conventional models, as the mount is vertically adjustable.


RAL 9006 white aluminium powder coated steel



PC support

for fastening sideways and to the right or left of the swingo profile with fixing strip.
Suitable for all conventional models, as the mount is vertically adjustable.

RAL 9006 white aluminium powder coated steel



swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
right 16339	63,- A	16339	63,- A
left 16345	63,- A	16345	63,- A


swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
right 16339	63,- A	16339	63,- A
left 16345	63,- A	16345	63,- A

Drawer inset

with fixed compartments

for **swingo®**:
Dim.: 377 x 384 x 58 mm (w x d x h)

for **swingo®-clinic**:
Dim.: 356 x 396 x 58 mm (w x d x h)




Drawer inset

with fixed compartments made of white plastic.

for **swingo®**:
Dim.: 529 x 384 x 58 mm (w x d x h)

for **swingo®-clinic**:
Dim.: 506 x 396 x 58 mm (w x d x h)




swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13988	30,- A	13989	30,- A

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13903	30,- A	13955	30,- A

System parts

45 cm wide

Drawer inset



with flexible compartments made of plastic and aluminium rails.


for **swingo®**
Dim.: 377 x 384 x 58 mm (w x d x h)

for **swingo®-clinic**
Dim.: 356 x 389 x 58 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13933	37,- A	13993	37,- A

60 cm wide

Drawer inset



with flexible compartments made of plastic and aluminium rails.


for **swingo®**
Dim.: 529 x 384 x 58 mm (w x d x h)

for **swingo®-clinic**
Dim.: 506 x 389 x 58 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13933	37,- A	13957	37,- A

Shelves / Keyboard tray

Shelf 300 mm deep




22 mm thick, **width: 450 mm**

colour swingo®: white
colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
14692	48,- A	14973	77,- C

Shelf 300 mm deep



22 mm thick, **width: 600 mm**

colour swingo®: white
colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13905	54,- A	13944	87,- C

Shelf, stainless steel 450 mm deep




22 mm thick, width: 600 mm.

With rounded edge. Rugged due to the pattern-rolled surface structure. Especially useful as solid working top.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
14710	229,- C	14710	229,- C

Extensible tray 45 for keyboard



with extensible mousepad; about 32 mm thick

		swingo®-clinic metal-version	
		Ref.no.	Price €
		16009	244,- C


Extensible tray 60 for keyboard



with extensible mousepad; about 32 mm thick

		swingo®-clinic metal-version	
		Ref.no.	Price €
		15573	245,- C

Shelf 450 mm deep



22 mm thick, **width: 450 mm**
to be used as drawer cover or shelf

Colour swingo®: white
Colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
14691	50,- A	14693	80,- C

Shelf 450 mm deep



22 mm thick, **width: 600 mm**
to be used as drawer cover or shelf

Colour swingo®: white
Colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13904	58,- A	13942	108,- C

Sytem parts

45 cm wide


60 cm wide

Shelf 300 mm deep with adjustable inclination, steplessly adjustable, 22 mm thick, width: 600 mm. Ideally suited for monitoring or as writing shelf

Colour swingo®: white
Colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13965	94,- A	13946	125,- C

Shelf 450 mm deep with adjustable inclination, steplessly adjustable, 22 mm thick, width: 600 mm. Ideally suited for monitoring or as writing shelf.



Colour swingo®: white
Colour swingo®-clinic: greywhite RAL 9002

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13964	103,- A	13945	144,- C

Shelf, 450 mm deep, extensible to the front



for keyboard, printer or devices, 22 mm thick, greywhite RAL 9002

Dim.: 450 x 450 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
		14735	136,- C

Shelf, extensible to the front



for keyboard, printer or devices, 32 mm thick, width: 600 mm, greywhite RAL 9002.

Dim.: 600 x 450 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
		13972	136,- C
		13980	93,- C

Mousepad extensible, mounted

Anti-slide mat

made of Ethylen Vinylacetat Copolymer (EVA), transparent.

Dim.: 450 x 450 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
15541	27,- A	15541	27,- A

Dim.: 450 x 300 mm (w x d)

16161	25,- A	16161	25,- A
--------------	--------	--------------	--------

Anti-slide mat

made of Ethylen Vinylacetat Copolymer (EVA), transparent.


Dim.: 600 x 300 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13949	25,- A	13949	25,- A

Dim.: 600 x 450 mm (w x d)

13950	29,- A	13950	29,- A
--------------	--------	--------------	--------

Lateral shelf




foldable. To be mounted at right or left side of profile. Loading capacity up to 15 kg.

Dim.: 350 x 450 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13996	220,- A	13997	257,- C

Lateral shelf




foldable. To be mounted at right or left side of profile. Loading capacity up to 15 kg.

Dim.: 350 x 450 mm (w x d)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13996	220,- A	13997	257,- C

Gallery




with 10 mm rim., aluminium anodized

Dim.: 450 x 450 x 10 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13991	75,- A	13991	75,- A

Gallery



with 10 mm rim., aluminium anodized


Dim.: 600 x 450 x 10 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13992	81,- A	13992	81,- A

System parts

45 cm wide

Keyboard tray 45 with mousepad




extensible to the front, with double click-in mechanism; including back cover with cable duct for mounting below drawer or shelf. Edge at front of the shelf about 6 cm high, edges at the sides about 10 cm high. For all usual keyboards. With mousepad, extensible to right or left side

swingo® wood-plastic version			
Ref.no.	Price €		
16000	257,-	A	

60 cm wide

Keyboard tray 60 with mousepad




extensible to the front, with double click-in mechanism; including back cover with cable duct for mounting below drawer or shelf. Edge at front of the shelf about 6 cm high, edges at the sides about 10 cm high. For all usual keyboards. With mousepad, extensible to right or left side

swingo® wood-plastic version			
Ref.no.	Price €		
13976	265,-	A	

Gallery 60 / Console for monitoring / Swivelling arm / TFT screen mount / Rail

Gallery



to be fixed on shelf 450 mm deep stable polystyrol, with 3 edges

Inner Dim.: 573 x 435 mm (w x d)
height in front: 10 mm height
at the rear: 55 mm

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
13951	77,-	A	13951	77,-	A

Console for monitoring



sheet steel plate for swivel arm, RAL 9006 white aluminium powder coated steel. Loading capacity 15 kg, only if the cart is charged appropriately.

Dim.: 350 x 350 x 10 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
13952	41,-	C	13952	41,-	C

Console for monitoring



sheet steel plate for swivel arm, RAL 9006 white aluminium powder coated steel. Loading capacity 15 kg, only if the cart is charged appropriately.

Dim.: 350 x 350 x 10 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
13952	41,-	C	13952	41,-	C

Holder for the console



rotatable, for mounting to the swingo profile or to one horizontal arm. RAL 9006 white aluminium

Please order the console for monitoring, Ref.no. 13952 separately.

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
16359	152,-	A	16359	152,-	A

Holder for the console




rotatable, for mounting to the swingo profile or to one horizontal arm. RAL 9006 white aluminium

Please order the console for monitoring, Ref.no. 13952 separately.

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
16359	152,-	A	16359	152,-	A

Swivelling arm




with TFT-mount for flat screens (VESA standard 75 and 100 mm). Inclination and slewing. Slewing range 350 mm, RAL 9006 white aluminium

NEW

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
16638	182,-	C	16638	182,-	C

Swivelling arm



with TFT-mount for flat screens (VESA standard 75 and 100 mm). Inclination and slewing. Slewing range 350 mm, RAL 9006 white aluminium

NEW

swingo® wood-plastic version		swingo®-clinic metal-version			
Ref.no.	Price €	Ref.no.	Price €		
16638	182,-	C	16638	182,-	C

System parts

45 cm wide

TFT screen mount



for flat screens, attached to a height-adjustable column, of a 75 and 100 mm VESA standard. Installation sideways at the profile or to the horizontal arm.

Please order the horizontal arm separately.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16346	159,- A	16346	159,- A

60 cm wide

TFT screen mount




for flat screens, attached to a height-adjustable column, of a 75 and 100 mm VESA standard. Installation sideways at the profile or to the horizontal arm.

Please order the horizontal arm separately.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16346	1593,- A	16346	159,- A

Rail 45




for shelf, 450 mm deep, to be mounted of profile. White aluminium powder-coated, RAL 9002, Ø 8 mm.

NEW

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16646	49,- A	16646	49,- A

Rail 60



for shelf, 450 mm deep, to be mounted of profile. White aluminium powder-coated, RAL 9002, Ø 8 mm.

NEW

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16648	49,- A	16648	49,- A

Horizontal arm / Carrier shelf / Back cover

For optimal stability each cart with carrier unit up from 957 mm and without drawers has to be equipped with one horizontal arm, Ref.no. 14611 or Ref.no. 13947.

Horizontal arm, metal




for additional stability of the cart; offers the possibility to fix a standard rail or a socket board at the front or at the rear.

Dim.: 450 x 20 x 100 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16555	52,- C	16555	52,- C

Horizontal arm, metal




for additional stability of the cart; offers the possibility to fix a standard rail or a socket board at the front or at the rear.

Dim.: 601 x 20 x 100 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16554	52,- C	16554	52,- C

Horizontal arm, wood/plastic version



for additional safety of equipment. Fixed at the rear.


Not suitable for additional stability.

white

Dim.: 450 x 20 x 110 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13984	40,- A		

Horizontal arm, wood/plastic version



for additional safety of equipment. Fixed at the rear.


Not suitable for additional stability.

white

Dim.: 601 x 20 x 110 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
13983	41,- A		

Carrier shelf for socket strip




made of metal, greywhite powder-coated RAL 9002; to be mounted at the rear, at the inner side or below

Not suitable for additional stability of the cart.

Dim.: 450 x 12 x 60 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16235	72,- C	16235	72,- C

Carrier shelf for socket strip



made of metal, greywhite powder-coated RAL 9002; to be mounted at the rear, at the inner side or below

Not suitable for additional stability of the cart.


Dim.: 600 x 12 x 60 mm (w x d x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16236	79,- C	16236	79,- C

System parts

45 cm wide

Back cover for basic model swingo® 45



for basic model, made of sturdy metal, with click-in mechanism, easy mounting without tools.

Dim.: 472 x 645 mm (w x h)


Back covers with other dimensions on request.

Attention: Please order back cover only together with a swingo® or swingo®-clinic cart; separate order of back cover is not possible.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16105	94,- C	16105	94,- C

60 cm wide

Back cover for basic model swingo® 60



for basic model, made of sturdy metal, with click-in mechanism, easy mounting without tools.

Dim.: 600 x 645 mm (w x h)

Back covers with other dimensions on request.

Attention: Please order back cover only together with a swingo® or swingo®-clinic cart; separate order of back cover is not possible.

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
14714	98,- C	14714	98,- C

Additional back cover

for carts with standard height 1218 mm. The additional back cover has to be used together with back cover ref. 16105 to cover the whole back of the high cart. Please order both together!

Dim.: 472 x 575 mm (w x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
16106	83,- C	16106	83,- C

Additional back cover

for carts with standard height 1218 mm. The additional back cover has to be used together with back cover ref. 16105 to cover the whole back of the high cart. Please order both together!

Dim.: 600 x 575 mm (w x h)

swingo® wood-plastic version		swingo®-clinic metal-version	
Ref.no.	Price €	Ref.no.	Price €
14715	86,- C	14715	86,- C

Safety isolation transformers / Isolation guard

Safety isolation transformer



NTT 1000

Designation:
Max. output:
Supply/output voltage:
Leakage current:
Protection class:
No. of outlet sockets:
Weight:

NTT 600
600 VA
Primary 230 V ~
< 100 µA
IP 21
6 x IEC 320
approx. 9 kg

NTT 1000
1000 VA
Secondary 230 ~ ;
< 100 µA
IP 21
9 x IEC 320
approx. 14 kg

NTT 2000
2000 VA
50/60 Hz
< 350 µA
IP 21
9 x IEC 320
approx. 21 kg

Housing dimensions:

**185 x 270 x 78 mm
(B x T x H)**

**214 x 305 x 99 mm
(B x T x H)**

**286 x 312 x 103 mm
(B x T x H)**

Parameters common to the isolation transformers NTT 600 / NTT 1000 / NTT 2000:

NEW

Switch-on current limiter:
Short-circuit protection:
Overtemperature protection:
Primary line supply cable:
Finish:
Conformity:

Thermal semiconductor
Miniature fuse, primary
Thermal switch
Part of the supply; 1.5 m long
Light grey RAL 7035
EG Medical Products Directive 93/42/EEC (MPD)
EN 60601-1 (Medical Electrical Equipment)
Class I, type B product

Classification acc. to Medical Products Directive:

NTT 600		NTT 1000		NTT 2000	
Ref.no.	Price €	Ref.no.	Price €	Ref.no.	Price €
16514	572,- A	16515	652,- A	16516	936,- A

Due to the electrical isolation by isolating transformer NTT, the monitoring of the secondary circuit for insulation faults by the RCBO which EN 60601-1 requires to be integrated in the power supply network cannot work. For this reason, we recommend the installation of an isolation guard.

System parts



Designation: ISO NTT
 Operating voltage: 230Vac
 Protection class: Protection class 1 / IP 40
 Class of insulation: ta40°C/B
 MPD category: Class 1 type B

Housing dimensions: **Dim.: 68 x 123 x 45 mm (w x d x h)**


Conformity: EN 60601-1 / 60601-1-1 / 60601-1-2
 EN 60601-1-4 / 14971
 EU MDD 93 / 42 EWG

NEW

Ref.no. **16517** € 217,- A

All types are available as stand-alone products which can be placed directly on the base board. We also develop individual solutions for special holders provided a sufficient number of monitors is ordered. Our HAEBERLE team is looking forward to assisting you.

Attention! For the assembly the chassis with castors Ø 150 mm is necessary.



Holder for isolation transformer and foot-switch, greywhite RAL 9002 powdercoated for type NTT 600/1000/2000. Mounting under swingo® 60 chassis.

Maße:
310 x 440 x 90 mm (w x d x h)

Ref.no. **16606** € 129,- A

NEW

Accessories swingo® 45 and 60, swingo®-clinic 45 and 60

Waste collectors / Waste containers

The reference numbers contain the accessory part complete with attachment fittings. All accessories can be easily fitted to the swingo® and swingo®-clinic.



the mounting is white aluminium powdercoated metal RAL 9006; the lid and front are natural semi-transparent polypropylene Including 1 roll of waste bags 15 ltrs.

Dim.:
360 x 160 x 365 mm (w x d x h).

Ref.no. **16246** € 172,- A



sheet metal, aluminium colour laminated. Lid see below. Including 1 roll of waste bags 15 ltrs. aluminium colour laminated

Dim.:
280 x 160 x 410 mm (w x d x h)

Ref.no. **13908** € 63,- A
 s/s Ref.no. **13909** € 109,- A

Roll of disposal bags 15 l with 50 bags, grey,
Minimum order quantity 10 rolls.

For Klapp-Kuli and Piccolo, per roll

Ref.no. **05191** € 2,10 A

bulk discount

Piccolo lid


Dim.:
280 x 170 x 20 mm (w x d x h)

aluminium colour laminated
 Ref.no. **07874** € 25,- A
 s/s Ref.no. **09636** € 37,- A



300 mm Ø, greywhite plastic

Ref.no. **13910** € 70,- A



300 mm Ø

Ref.no. **13911** € 102,- A



with polypropylene bowl with slit lid, can be sterilized, white.


Dim.:
300 x 230 x 130 mm (w x d x h)

Ref.no. **13912** € 131,- A

Accessories swingo® 45 and 60, swingo®-clinic 45 and 60

Dispenser

Soap and disinfectant dispenser




attachment at right or left side possible. Naturally anodised aluminium. Capacity: 1 liter.

Dim.: 95 x 90 x 260 mm (w x d x h)

Ref.no. **16087** € 127,- A

Drip pan




hang up for soap and disinfectant dispenser 16087, with removable bowl.

Ref.no. **16256** € 60,- A

Injection and band-aid dispenser

If you wish to know more about our COMPACT and PicBox® range of dispensers please ask for our brochure on Supply and Waste Disposal. Please note: Dispenser fit only for swingo® 60 and swingo®-clinic 60.

COMPACT band-aid dispenser



high quality casing, plastic laminated finish, dustproof sealed through Plexiglass cover, ideally arranged for easy access; with 2 s/s magnetic holders for scissors, to be bolted on between the profiles.

Dim.: 600 x 220 x 450 mm (w x d x h)

white
Ref.no. **13913** € 396,- A

PicBox® injection set



The dispenser with the first-in/first-out guarantee in accordance with DIN 58953


The boxes are replenished from the top, the material taken from below. This ensures that items placed in first will also be used first (first-in/first-out principle).

Greywhite plastic casing with clear glass boxes. Each box with a separate covering lid (dust-proof). Consisting of syringe dispenser with 3 boxes and needle dispensers with 5 boxes. To be bolted on between the profiles.

Dim.: 600 x 200 x 410 mm (w x d x h)

Ref.no. **13915** € 194,- A

COMPACT injection set




casing as described above; practical compartments with inclination for syringes and needles. To be filled from above - material is removed from below - first-in - first-out.

Dim.: 600 x 220 x 450 mm (w x d x h)

white
Ref.no. **13914** € 330,- A

KOMBI-Set



Additionally recommended


for taking blood samples and giving injections. TAKEFIX swab dispenser and TIPPFIX swab moisturiser plus additional container made of greywhite, unbreakable plastic.

Dim.: 120 x 230 x 265 mm (w x d x h)

Ref.no. **13916** € 99,- A

Various items

Fixing set for devices




with 4 fixing parts, made of black cellular rubber, adhesive at one side. The fixing parts secure the medical devices against falling down when the cart is moved

Dim.: 40 x 40 x 5 mm (w x d x h)

Ref.no. **17222** € 11,- A

Universal holder snap



for boxes of disposable gloves, tissues or wipes. The spring-loaded clamp is adjustable to fit many box sizes up to about 1 kg; for singlehand operation.

with mounting for swingo® profile

Ref.no. **15606** € 24,- A

Schluckfix used canula container



disposable container for holding approx. 500 used needles, made of black recycled plastic. Sliding scale price list available on request. Schluckfix set with 20 boxes and swingo®/swingo®-clinic attachment

Ref.no. **13917** € 90,50 A

Dim.: 55 x 100 x 170 mm (w x d x h)

Schluckfix carton
with 100 boxes without attachment

Ref.no. **09490** € 349,- A


Mounting

for Schluckfix suitable for swingo®/swingo®-clinic, separately

Ref.no. **13918** € 25,50 A

Accessories swingo® 45 and 60, swingo®-clinic 45 and 60

Disposal boxes Medi-Müll



made of sunshine yellow polypropylene with HAEBERLE-green lid.
Offers 3 practical ways for the disposal of all types of needles, including vacuum containers. Ideally suited for scalpels, pipettes, broken glass, swabs etc.
Height 152 mm
dia. of the lid: 143 mm
dia. of the base: 108 mm
1.6 l capacity.

Medi-Müll set with 20 boxes and swingo®/swingo®-clinic attachment.

Ref.no. **13919** € 62,50 A

Bulk discounts on request.

with 100 boxes, without attachment
Ref.no. **16653** € 129,- A


for Medi-Müll suitable for swingo®/swingo®-clinic, separatly

Ref.no. **13920** € 28,- A

the amount of packages has changed

Medi-Müll original carton Mounting

CUPFIX ampoule opener



greywhite, plastic casing, removable holder for ampoule. Diamond file, spring-mounted, in stainless steel casing.

Dim.: 70 x 150 x 200 mm (w x d x h)

Ref.no. **13921** € 116,- A

Replacement diamond file for CUPFIX

Ref.no. **04663** € 31,- A

Mounting

for CUPFIX suitable for swingo®/swingo®-clinic, separatly

Ref.no. **13922** € 20,- A

Arm support



padded with integral upholstered foam, with 2 attachment hooks, extra sturdy, black

Ref.no. **13923** € 223,- A

Catheter holder



made of s/s, 3 compartments, for hanging on standard profile rails.

Dim.: 160 x 80 x 570 mm (w x d x h)

Ref.no. **13959** € 123,- A

Please order standard profile rail, too!

Standard profile rail



Metal, with 2 securing points, length **420 mm**, to secure hold on the sides.

Ref.no. **13924** € 85,- A


Standard profile rail



Metal, with 2 securing points, length **440 mm**, to secure hold on the rear.

Ref.no. **13953** € 108,- A

Socket board with 4 sockets



4 grounding sockets in accordance with DIN 49440, 16A-230 VAC, light-grey cable HO5VVF, 3G 1.5 mm², 3 m in length with moulded grounding plug, green 2-pin switch, quality housing anodised aluminium, incl. 2 grey plastic fastening angles.

Dim.: 44,5 x 44,5 x 264 mm (w x d x h).

The multiple socket board corresponds to EN 60 601-1 and all other relevant DIN, EN and IEC standards.

Ref.no. **16327** € 68,- A

On/off switch

attached to the profile incl. 4 grounding sockets without switch

Ref.no. **16361** € 203,- A

Socket board with 6 sockets



With 6 grounding sockets, green illuminated 2-pole power switch, stable quality anodized aluminium housing, the 3-metre-long net cable H 05 VV-F is with 1,5 mm² richly dimensioned and equipped with a sprayed net plug.

Dim.: 352 x 44,5 x 44,5 mm (w x d x h)

Ref.no. **16675** € 112,- A

NEW

The multiple socket board corresponds to all relevant DIN, EN and IEC standards

Socket board with plugs for equipotential bonding




with 4 sockets, 5 m connecting cable and 5 m of equipotential cable, on/off switch illuminated.

In accordance with EN 60601

Ref.no. **13935** € 268,- A

Cardiac massage board



made of Trespa, a material which is especially hygienic and totally resistant to disinfectants..


Dim.: 440 x 10 x 640 mm (w x d x h)

Ref.no. **13948** € 223,- A

Emergency set

Please ask our team

Holder




for oxygen bottles 5/10 ltrs. with Ø up to 145 mm; incl. upper holder with fixing tape.

Ref.no. **16322** € 129,- A


upper holder with fixing tape, separate

Ref.no. **16324** € 65,- A



Accessories swingo® 45 and 60, swingo®-clinic 45 and 60


Holder



for oxygen bottles 2 ltrs.,
upper supporting ring Ø 102 mm,
lower supporting ring Ø 84 mm

Ref.no. **13956** € 111,- A

Cable and hose holder



grey, reach approx. 950 mm

Ref.no. **13926** € 143,- A

Cable and hose holder with flex-shaft




with 2 joints of plastic, arms in silver aluminium and chromium-plated flex-shaft. With attachment

Ref.no. **16651** € 286,- A

new

Hook




white plastic;

Dim.: 34 x 66 x 70 mm (w x d x t)

Ref.no. **15171** € 21,- A

Face-out model


Cable clip



grey plastic, attached to the profile slot.

Ref.no. **19015** € 10,50 A


Infusion bottle holder



chrome plated, with 4 hooks Ø 25 mm,
for use with one hand

Ref.no. **13927** € 203,- A

Universal holder for endoscopy



for all usual endoscopes. Made of plexiglass with openings for all types of endoscopes and accessories. Height adjustable rod.

Ref.no. **13979** € 244,- A


Plexiglass tube, 1200 mm, open at the bottom inner Ø 32 mm; outside diam. Ø 40 mm. With holding clips for swingo®

Ref.no. **13977** € 103,- A

dto., closed at the bottom for disinfection fluid

Ref.no. **13978** € 142,- A

Holder for camera




made of plastic (POM = polyoxymethylen)

Dim.: 25 x 6 x 40 mm (w x d x h)

Ref.no. **15390** € 27,- A

Face-out model


Attachment hook



for universal use with all **swingo®** and **swingo®-clinic** attachment units. Suitable for use on circular pipes of 10 and 16 mm Ø

Ref.no. **13929** € 40,50 A

Halux®20 S examination light



The extremely light intense halogen cold-light reflector examination light.

18.000 lux at a distance of 0.5 m. Objects are exposed to minimal heat. Ergonomic design. Halogen bulb 12 V/ 20 W/10° spot 850 mm range.


Ref.no. **12181** € 244,- C

clamp for swingo®

Ref.no. **14659** € 56,- A

You will find details on other halogen lights in our light brochure

Holder for Kensington-Lock



attached to the profile for protection of notebooks. Without the lock.

Ref.no. **16424** € 16,- A


All prices are understood exclusive of VAT. As an innovative company we reserve the right to amend prices and designs. As for the rest our General Terms of Business in the valid version apply.

WEEE-Reg.-Nr. DE 20235235



Planing sketch for individual heights of profiles

up to 1999 mm, in 52 mm steps



Please select the diameter the castors of your cart should have:




up to 130 kg



up to 130 kg



up to 250 kg



HAEBERLE specializes in particular in providing customized OEM versions for industrial clients. Let us know your specifications and we will provide you a product according to your personally requirements.

Please contact us!

HAEBERLE GmbH + Co. KG
Breitwiesenstraße 13 · D-70565 Stuttgart
P.O.Box 800524 · D-70505 Stuttgart
Phone ++49 (0) 7 11/7 83 14-0
Fax ++49 (0) 7 11/7 83 14-77
e-mail: info@haeberle-med.de
www.haerberle-med.de

Your medical distributor