## **HAEBERLE**

multifunctional medical cart systems ...and more

# Multipurpose trolleys

Variocar®-Viva

# price list

valid up from 1 July 2008









# Variocar® and Viva® 60 multipurpose trolley

#### Variocar® by HAEBERLE, Stuttgart is the original multifunctional trolley system.

#### The advantages of the system:

**Multifunctionality**The system offers all types of trolleys. Basic trolleys up to 5 drawers or fully equipped function trolleys.

#### Modularity

You design your own trolley according to your individual needs. With the patented plug-in-system you can add parts at any time or modulate your trolley.

#### Hygiene

Mainly closed, easy to clean surfaces – even lateral and at the rear.

High quality shelves with 5 coatings on all sides, with massive edges, all sides plastic veneered, non-fading, resistant against common disinfectants. The surface is slightly structured easy to clean. Very sturdy square tubular steel frame chromium plated. Variocar® Viva with elegant aluminium frame, slightly striped.

Drawers with veneered fronts with ergonomic, high quality design handles and special light telescopic guide rollers with click-in-mechanism.

#### Colours

Shelves and drawers in white, drawers with white handles. Variocar® Viva with grey drawer handels. Other beautiful handle colours you can find on page 4.

Modern, light swivel castors with 50, 75 or Ø 100 mm. Options: lockable and/or electrically conductive.

#### Assembly

The basic trolleys are supplied flat packed. Some of the function trolleys are assembled.

#### **Dimensions**

The avaible sizes are indicated. Widths: 490/600/900 mm.

450 mm Depth:

530/705/730/830/870 mm Heights:

#### **Loading capacity**

Total: approx. up to 50 kg approx. up to 20 kg Shelves: Drawers: approx. up to 10 kg

#### Special wishes?

We produce all types of special trolleys according to your needs. Please call us and let us design your individual trolley.





**Description** Ref.no.

# Viva® 60 basic trolleys with aluminium frame



Variocar®Viva by HAEBERLE is equipped with an elegant aluminium frame, slightly striped, frosted aluminium. The ideal trolley for the modern clinic and doctors office. All accessories of the Variocar<sup>®</sup> range fit perfectly. Drawer and shelves are white. Handle grey.

## Viva® 60 basic trolleys

730 mm high





- with 1 drawer, white Castors: Ø 75 mm

Dim.:  $600 \times 450 \times 730 \text{ mm}$  (w x d x h)

Up to 4 drawers are possible.

15585 239,- A

Viva® 60 830 mm high




- with 1 drawer, white Castors: Ø 75 mm

Dim.: 600 x 450 x 830 mm (w x d x h)

Up to 5 drawers are possible.

15590 251,- A

**Drawer** 100 mm high



white

17141

80,- A

## Viva® 60 underneath trolley with aluminium frame

Viva® 60 underneath trolley 530 mm high





- with 3 drawers, white Castors: Ø 50 mm

Dim.:  $600 \times 450 \times 530 \text{ mm}$  (w x d x h)

15597 403,- A

Viva® 60 underneath trolley 530 mm high



- with 2 drawers, white Castors: Ø 50 mm

Dim.:  $600 \times 450 \times 530 \text{ mm}$  (w x d x h)

15599 325,- A

## Viva® 60 special edition "titan"

Basic trolley special edition "titan" 730 mm high





shelves and drawer plastic veneered style titan Castors: Ø 75 mm

Dim.:  $600 \times 450 \times 730 \text{ mm}$  (w x d x h)

**Description** Item Ref.no. **Price** €

## Variocar® multipurpose trolleys

If not specified otherwise, all Variocar® models are delivered disassembled. Delivery in mounted state on request against surcharge. Variocar® trolleys are available with designed drawer handles in different colours: grey, blue, red violet, yellow, turquoise, white and black. In case you do not indicate the colour of the handle in your order, the trolleys are delivered with white handles.

Variocar® 60 basic trolley 730 mm high






with 1 drawer. Drawer and shelves white. 08069 Castors Ø 75 mm

279,- A

 $600 \times 450 \times 730 \text{ mm} (w \times d \times h)$ 

#### **Drawer handles**

Coloured drawer handles



ergonomic designer handles in different colours 13161 3,70 A blue 13162 violet red 13163 yellow 13164 turquoise 13165 white 13166 black 13167

## Variocar® 45 basic trolleys

with chromium plated frame

Variocar® 45 705 mm high



Drawers and shelves white


Castors: Ø 50 mm

 $490 \times 450 \times 705 \text{ mm} (w \times d \times h)$ 

with 1 drawer 15609 with 2 drawers 16371 327,- A 403,- A 471,- A with 3 drawers 16372 with 4 drawers 16373

## Variocar® 45 system parts

Drawer



for Variocar® 45 white, 100 mm high

Inner dimensions:  $392.5 \times 384.5 \times 74 \text{ mm} (w \times d \times h)$ 

for Variocar® 45 white, 100 mm high 15610 80,- A

19,- A

30,- A

**Drawer insert** 

Backcover



with fixed compartments white plastic

15751

15880

Dim.: 390 x 384 x 57 mm (w x d x h)

**Drawer insert** 



with variable compartments


ltem		Description	Ref.no.	Price	€
helf for		white, with edge and holding device	17124	72,-	_
/ariocar® 45		Dim.: 450 x 450 x 70 mm (w x d x h	n)		
helf for /ariocar® 45		white, without edge with holding device	17123	50,-	A
ariocar 45		Dim.: 450 x 450 mm (w x d)	_		
Variocar® 60	) basic t	rolleys with chromius	n ;		
<b>/ariocar® 60</b> 30 mm high		Castors Ø 75 mm			
30 mm nign		Dim.: 600 x 450 x 730 mm (w x d x	h)		
		- with 1 drawer, white	08069	279,-	,
		- with 2 drawers, white	08072	339,–	
		- with 3 drawers, white	08075	415,-	
	<u> </u>	- with 4 drawers, white	08078	483,-	,
<b>'ariocar® 60</b> 30 mm high		Castors Ø 75 mm			
30 mm nigh		Dim.: 600 x 450 x 830 mm (w x d x	h)		
		- with 1 drawer, white	08084	291,-	,
		- with 2 drawers, white	08087	360,-	,
		- with 3 drawers, white	08090	424,-	/
		- with 4 drawers, white	08093	494,-	/
٥	0 0	- with 5 drawers, white	08096	560,-	/
Variocar® 60	underne	ath trolleys with chromiu	ie Ie		
/ariocar® 60		Castors Ø 50 mm			
underneath trolley 530 mm high		Dim.: 600 x 450 x 530 mm (w x d x	h)		
factly.		- with 1 drawer, white	07797	285,-	A
fits perfectly low examination		- with 2 drawers, white	08051	354,-	,
couches		- with 3 drawers, white	08054	421,-	,
/ariocar® 60		Castors Ø 50 mm			
underneath trolley 530 mm high		Dim.: 600 x 450 x 530 mm (w x d x	h)		
with arranged pelow shelf		- with 1 drawer, white	08060	306,–	,
		- with 2 drawers, white	08063	379,-	

## Variocar® 60 system parts

Even the Variocar® basic model is particulary variable and can be adjusted to the individual workstyle. All parts can easily be mounted at the Variocar® - even subsequently. Complete mounting parts as well as guide rails are included in the respective Ref.no.

#### Drawers / back covers / insets

**drawer** 100 mm high with heated s/s bowl



electronical heat regulation, adjustable from 35 to 43°C, white

Dimensions of heatable surface: 475  $\times$  335  $\times$  20 mm (w  $\times$  d  $\times$  h)

Overall dimensions: 555 x 413 x 100 mm (w x d x h) **05384** 479,- A

Item		Description	Ref.no.	<b>Price</b> €
<b>Drawer</b> 100 mm high		white Inner dimensions: 502,5 x 384,5 x 74 mm (w x d x h)	05370	80,- A
<b>Drawer</b> 00 mm high ockable		white  Inner dimensions: 502,5 x 384,5 x 74 mm (w x d x h)  Please order back cover Ref.no. 05394 seperately; otherwise the drawer will be open at the rear side.	05375	125,- A
<b>ack cover</b> 00 mm high		for Variocar® 60 white, 100 mm high  Dim.: 555 x 105 mm (w x h)	05394	19,– A
<b>Prawer</b> 100 mm high vith guard rail		white Inner dimensions: 502,5 x 384,5 x 120 mm (w x d x h)	05816	199,- A
<b>ack cover</b> or drawer 200 mm high		Please use 2 back covers here, 100 mm high <b>Ref.no. 05394</b> (see above)		
rawer inset		with fixed compartments, white plastic  Dim.: 501 x 384 x 50 mm (w x d x h)	06186	30,- A
rawer inset		with variable compartments  Dim.: 529 x 384 x 58 mm (w x d x h)	13933	37,– A
ihelves / Keyb	oard tray			
helf for ariocar® 60		white, without edge with mounting device  Dim.: 560 x 450 mm (w x d)	05537	50,- A
helf for 'ariocar <sup>®</sup> 60		white, with edge and mounting device  Dim.: 560 x 450 x 70 mm (w x d x h)	05389	72,– A
<b>helf</b> ith extension nd mounting device		on right and left side white  Extensible shelf dim.: 410 x 260 mm (w x d)	05404	152,- A
K <b>eyboard tray</b> 0 mm high	Exercise .	extensible to the front, with click-in mechanism.  With mousepad, extensible to the right or left side.  Tray has to be mounted underneath a drawer or shelf, white  edge at front of tray about 60 mm high, edges at the side about 100 mm high;	15177	175,- A

Item		Description	Ref.no.	<b>Price</b> €
Surcharge fo	or castors			
Castors		Surcharge for: - 2 castors, lockable Ø 50 mm, - 2 castors, lockable Ø 75 mm, - 4 castors, electrically conductive Ø 75 mm, - 4 castors Ø 100 mm, - 2 castors, lockable Ø 100 mm,	05410 05411 05413 05615 05616	19,- A 21,- A 36,- A 82,- A 34,- A
-	® clock troller	- 4 castors, electrically conductive Ø 100 mm,  with chromium	05265	86,- A
Variocar® 45 shelf trolley 830 mm high	shelf trolley	with chromae plated frame plated frame plated frame plated frame plated frame.  with 3 shelves, two with edges.  Castors Ø 75 mm.  Dim.: 490 x 450 x 830 mm (w x d x h)	14515	249,- A
Variocar® 60 shelf trolley 830 mm high		with 3 shelves, two with edges, white. Castors Ø 75 mm.  Dim.: 600 x 450 x 830 mm (w x d x h)	05622	275,- A
		Additional price for castors Ø 100 mm, recommendable for frequent use  Dim.: 600 x 450 x 870 mm (w x d x h)	05615	82,- A
Variocar® 90 shelf trolley 870 mm high		with 2 shelves with edges, white. Castors Ø 100 mm, 2 lockable.  Dim.: 900 x 450 x 870 mm (w x d x h)	04509	399,- A
 Variocar	® 90 basic tro	with chromium plated frame		
Variocar® 90 basic trolley 870 mm high		The "large capacity trolley" offers a lot of space. Castors Ø 100 mm, 2 lockable, with 1 drawer and 2 shelves with edges, white  Dim.: 900 x 450 x 870 mm (w x d x h)	04511	516,- A
Accessories f	for Variocar® 90 m	ultipurpose trolley		
Drawer		100 mm high, white  Inner dimensions:	04525	118,- A
Shelf		802,5 x 384,5 x 74 mm (w x d x h)  with edge and mounting device, white	04529	105,- A
Back cover		100 mm high, white	07559	32,- A

Item **Description Ref.no.** Price €

## Variocar® function trolleys



Function trolleys "system Variocar" offer solutions to problems. They have been developed by specialists and can be altered or completed at any time.

## Variocar® 45 function trolleys

Variocar® 45 **Equipment tower** 



with console and 3 shelves; white, Castors Ø 75 mm

Dim. of the console:

Dim. of the trolley incl.the console: 490 x 450 x 1010 mm (w x d x h)

 $490 \times 250 \times 180 \text{ mm} (w \times d \times h)$ 

## Variocar® 60 function trolleys

Variocar® 60 treatment trolley COMPACT



with 2 lockable castors Ø 75 mm, inset for drawers, dressing dispenser COMPACT with holding device, receptacle with plastic bowl,

Disassembled.

Dim.:  $600 \times 450 \times 1330 \text{ mm}$  (w x d x h)

05433 829,- A

14435

347,- A

Variocar® 60 injection trolley PicBox<sup>®</sup>





with 2 lockable castors Ø 75 mm, drawer insert, injection set PicBox®, greywhite, incl. the holding devices. Waste container with plastic bowl, Medi-Müll set waste disposal container, 20 boxes à 1,5 ltrs. incl. attachment. Disassembled.

Dim.:  $600 \times 450 \times 1310 \text{ mm}$  (w x d x h)

17355 637,- A

Variocar® 60 injection trolley PicBox® Plus



with 2 lockable castors Ø 75 mm, inset for drawers, injection set PicBox® Plus, greywhite, with holding device, receptacle with plastic bowl, armrest, "Schluckfix" collector for needles with holding device (set of 20 boxes), white. Disassembled without lamp.

Dim.:  $600 \times 450 \times 1290 \text{ mm}$  (w x d x h)

10547 981,- A

Variocar® 60 injection trolley COMPACT



with 2 lockable castors Ø 75 mm, inset for drawers, injection set COMPACT with holding device, receptacle with plastic bowl, armrest, "Schluckfix" collector for needles with holding device (set of 20 boxes), white. Disassembled without lamp and CUPFIX.

Dim.:  $600 \times 450 \times 1330 \text{ mm}$  (w x d x h)

Item	Description	Ref.no.	<b>Price</b> €
Variocar® 60 ergometry trolley	with 2 lockable castors Ø 75 mm, equipment console 250 mm deep and cable holder, Ref.no.10263 <u>Disassembled.</u> Dim.: 600 x 450 mm (w x d) height incl. console: 910 mm	05443	547,- A
Variocar® 60 trolley for gynaecology	with 2 lockable castors Ø 75 m, 1 drawer 100 mm high with s/s tray and electronical heat regulation, inset for drawer, receptacle with s/s bowl, instrument waste container with polypropylen bowl. Assembled, without lamp and infusion bottle holder.  Dim.: 600 x 450 x 830 mm (w x d x h)  recommendable: socket board	05438	1.130,- A 68,- A
Variocar® 60 writing desk	with inclined surface, inset for writing utensils, built-in shelf, clear height 200 mm, on Variocar® basic trolley with 2 lockable castors Ø 75 mm, inclusive one back cover. Assembled.  Dim.: 600 x 450 x 1170 mm (w x d x h)  recommendable: - additional shelf without egde, white - pull out shelf, can be pulled out to the right or left side, white	15584 05537 05404	576,- A 50,- A 152,- A
Variocar® 60 nursing trolley for rooming-in	with 2 lockable castors Ø 75 mm and upholstered swaddling surface at the top. Drawer 200 mm high, at the right side plastic bowl for cream, powder etc., aluminium coloured collector Piccolo for waste and baby's napkins at the left side with lid and 1 roll of plastic bags 15 ltrs. Assembled.  Dim.: 860 x 750 x 950 mm (w x d x h)	14834	863,- A
swaddling surface	blue design	14875	65,- A

## Variocar® 60 cabinet trolley

Cabinet trolleys of the Variocar 60 line are equipped with solid veneered rear and side cover. Thus they are an ideal completion for every modern surgery. Same version as Variocar® 60. Colour: white. <u>Assembled.</u>

Variocar® 60 cabinet trolley 830 mm high



with 1 drawer,1 shelf (removable) and folding doors, white, castors  $\varnothing$  75 mm.

04723 646,- A

Dim.:  $600 \times 450 \times 830 \text{ mm} (w \times d \times h)$ 


Item Description Ref.no. Price €

#### Accessories for Variocar®

All accessories can be easily fitted to Variocar<sup>®</sup>. The reference numbers contain the accessory part complete with attachment fittings.

#### Waste collectors and waste containers

Waste collector Klapp-Kuli



Steelsheet, aluminium colour powder coated; RAL 9006, incl. 1 roll of bags 15 L.

can be screwed together with lateral panels

Variocar with 2 drawers or more.

Dim.:  $310 \times 140 \times 420 \text{ mm}$  (w x d x h)

for attachment at right or left side of Klapp-Kuli, aluminium colour

paper with imprint, minimum quantity 500 pieces = 1 unit

05192

10,90 A

09961

146,- A

Waste collector Piccolo

Holder for

Piccolo lid

bags

hygiene bags

Hygiene bags



Steelsheet, aluminium colour, powder coated, RAL 9006 or s/s. Available with lid if required. Incl. 1 roll of waste bags 15 L.

Dim.: 280 x 160 x 410 mm (w x d x h)

For Variocar with 2 drawers or more,

Dim.: 280 x 170 x 20 mm (w x d x h)

15 L, roll with 50 bags, grey.
Minimum order quantity 10 rolls.
For Klapp-Kuli and Piccolo, per roll


05191

2,10 A

**Bulk discounts on request.** 

Waste container with plastic bowl

Roll of disposal



Ø 300 mm greywhite plastic


**04613** 66,- A

Waste container with s/s bowl



Ø 300 mm 04615 89.- A

Instrument waste container



with polypropylene bowl, white with slit lid, can be sterilized.


Dim.: 300 x 230 x 130 mm (w x d x h) 04616 96,- A

Item Description Ref.no. Price €

#### Injection and band-aid dispensers (only for Variocar® 60)

The reference numbers include the holding devices. If you wish to know more about our COMPACT and PicBox® range of dispensers please ask for our brochure on supply and waste disposal.

## COMPACT band-aid dispenser




High quality casing, plastic laminated finish, dustproof sealed through plexiglass cover, ideally arranged for easy access; with s/s magnetic holders for scissors, white

**04537** 435,- A

Dim.:  $600 \times 220 \times 450 \text{ mm}$  (w x d x h)

## COMPACT injection set



casing as described above.
Practical compartments with inclination for syringes and needles. To be filled from above - material is removed from below, first-in/first-out.
white

**04538** 371,- A

Dim.:  $600 \times 220 \times 450 \text{ mm (w x d x h)}$ 

#### PicBox® band-aid dispenser set





greywhite plastic housing with transparent boxes; 3 big boxes above, e.g. for gauze bandages and 3 boxes with flexible separation wall (one per box) for e.g. absorbent gauze in rolls or other dressing material.

**12475** 319,- A

Dim.:  $600 \times 200 \times 480 \text{ mm} (w \times d \times h)$ 

## PicBox®Plus injection set




## The dispenser with the first-in/first-out guarantee in accordance with DIN 58953

The stocks are replenished from the top, the material taken from below. This ensures that items placed in first will also be used first (first-in/first-out principle). Greywhite plastic casing with clear glass stock holder. Consisting of syringe dispenser with 3 stock holders and needle dispensers with 5 holders and attached KOMBI-Set.

Dim.: 730 x 240 x 410 mm (w x d x h) 11377 289,- A

PicBox® injection set




as described above but without KOMBI-Set

Dim.: 600 x 200 x 410 mm (w x d x h)

#### Waste disposal boxes for needles etc.

The ref. numbers include the special holder attachment for Variocar<sup>®</sup>. All waste disposal boxes are constructed of environmentally friendly plastics which can be incinerated without leaving behind harmful residues.

## Schluckfix used needle container



Disposable container for holding approx. 500 used needles, **made of black recycled plastic.** 

#### Dim.: $55 \times 100 \times 170 \text{ mm}$ (w x d x h)

Schluckfix set with 20 boxes and Variocar® attachment

**09498** 99,- A

Bulk discounts on request.

Schluckfix original box

**Attachment** 

with 100 boxes, without attachment

09490

11381

349,- A

203.-

for Schluckfix to Variocar®, separate

04666

Item		Description	Ref.no.	Price	€
Medi-Müll waste disposal container 1,5 liters capacity  the amount of packages has changed		made of sunshine yellow polypropylene with HAEBERLE green lid. Offers 3 practical ways for disposing of all types of needles, including vacuum containers. Ideally suited for scalpels, pipettes, broken glass, swabs etc.  Dim.: height 152 mm Ø lid 143 mm Ø base 108 mm			
		Medi-Müll set with 20 boxes and Variocar® attachment	04778	75,-	Α
Medi-Müll original carton		with 100 Boxen, excluding attachment	16653	129,–	Α
Attachment		for Medi-Müll to Variocar®, separate	04670	42,-	Α
CUPFIX ampoule opener		grey-white plastic casing, removable holder for ampoule. Diamond file, spring-mounted, in stainless steel casing  Dim.: 70 x 150 x 200 mm (w x d x h)	05771	127,-	A
		Replacement diamond file for CUPFIX	04663	31,–	Α
Attachment		for CUPFIX to Variocar®, separate	04662	28,-	Α
Sundries					
Equipment console		for Variocar® 60 aluminium colour RAL 9006.	09499	112,-	Α
		Dim.: 600 x 250 x 180 mm (w x d x h)		·	
		for Variocar® 45 aluminium colour RAL 9006.	17110	112,-	A
	,	Dim.: 490 x 250 x 180 mm (w x d x h)		/	
Holding devices		pair, for attachment of injection sets and dressing dispensers at Variocar® trolleys; aluminium colour	05251	43,-	Α
Arm support		padded with integral upholstered foam, with 2 attachment hooks, extra sturdy, black	09496	219,-	A

Item		Description	Ref.no.	Price €
Catheter holder		made of s/s, 3 compartments, for hanging at Variocar® frame or shelf  Dim.: 160 x 80 x 57 mm (w x d x h)	04624	135,- A
Socket board		4 grounding sockets in accordance with DIN 49440, 16A-230 VAC, light-grey cable HO5VVF, 3G 1.5 mm 3 m in length with moulded grounding plug, green 2-pin switch, quality housing anodised aluminium, incl. 2 grey plastic fastening angles.  Dim.: 264 x 44,5 x 44,5 mm (w x d x h) The multiple socket board corresponds to EN 60 601-1 and all other relevant DIN, EN and IEC standards.	<sup>2</sup> ,	68,– A
Cable and hose holder		grey-white, 950 mm range	10265	133,- A
Cable and hose holder with flex-shaft		with 2 joints of plastic, arms in silver aluminium and chromium-plated flex-shaft. With attachment.	16650	298,- A
Infusion bottle holder		chrome plated, with 4 hooks, Ø 16 mm, 100 cm long, 85 cm extension, with screw lock; including 2 attachment devices	04621	133,– A
Holder		for oxygen bottles 2 l; mounting with screws upper supporting ring Ø 102 mm, lower supporting ring Ø 84 mm	04811	112,- A
Holder		for oxygen bottles 5 l with Ø 140 mm, incl. upper holder with fixing tape, Ø of inner supporting ring (lower ring) 122 mm upper holder with fixing tape, separate	17298 16324	130,– A 65,– A
Cardiac massage board	0 0	made of <b>Trespa (full core plastic material)</b> Hygienic and resistant against disinfectants. <b>Dim.:</b> 440 × 640 × 10 mm (w × d × h)	13948	223,- A

Item	Description	Ref.no.	<b>Price</b> €
Halux 35 F	The high-performance examination lamp with cool light mirror technique, and modern spring balanced arm.  Light intensity 32.000 lux at a distance of 0,5 m. Halogen bulb 35W/12V, 10° spotlight, reach 1.000 mm.  Please order mounting seperately	15897	308,- C
Halux® 20 S	Halogen examination lamp with flexible go arm and shockproof polyamide lamp housing.  Reach: Lamp:  1 x halogen bulb 12 V/20 W/10° sponsor.  approx. 18.000 Lelectronic transforme 230 V/50 Hz AC 240 V/50 Hz AC 25 W 25 W 25 W 2-Rocker swith 2-pin, primary , I-0 2-pin, primary , I-0	ng. ot . <b>ux/0,5 m</b>	244,– C
Halux® 50 S	The extremely lightweight halogen cold-light reflector examination light with gooseneck of the color of the c	145 <b>70</b>	299,– C
Attachment device	for universal use with all Variocar attachment uni Suitable for use on square tubes 20 x 20 mm and round tubes Ø 22 mm dto. with handwheel	04560 06000	29,- A 30,- A
Variogrip attachment device	with special adapter for Variocar®	05234	47,- A

#### You will find details of other halogen lights in our lighting brochure.

All prices are understood exclusive of VAT. As an innovative company we reserve the right to amend prices and designs.


As for the rest our General Terms of Business in the valid version apply.

WEEE-Reg.-Nr. DE 20235235




## Variocar® measurements for your planning

Basic trolleys 705/730 mm high




Basic trolleys 830 mm high




all dimensions in mm

Underneath trolley 530 mm high



Shelf trolleys 805/830 mm high



HAEBERLE







HAEBERLE spezializes in particular in providing customized OEM versions for industrial clients. Let us know your specification an we will provide you a product according to your personally requirements.

Please contact us!

#### HAEBERLE GmbH + Co. KG

Breitwiesenstraße 13 · D-70565 Stuttgart
P.O.Box 800524 · D-70505 Stuttgart
Phone ++49 (0) 7 11/7 83 14-0
Fax ++49 (0) 7 11/7 83 14-77
e-mail: info@haeberle-med.de
www.haeberle-med.de

Your medical distributor