Multipurpose trolleys

Variocar® Variocar®-*Viva*

HAEBERLE

multifunctional medical cart systems ...and more

valid up from 1 July 2007









HAEBERLE Variocar[®] – the original multipurpose trolley

Variocar[®] by HAEBERLE Stuttgart is the original multifunctional trolley system.

The advantages of the system:

Multifunctionality

The system offers all types of trolleys. Basic trolleys up to 5 drawers or fully equipped function trolleys.

Modularity

You design your own trolley according to your individual needs. With the patented plug-in-system you can add parts at any time or modulate your trolley.

Hygiene

mainly closed, easy to clean surfaces - even lateral and at the rear.

Material

high quality shelves with 5 coatings on all sides, with massive edges, all sides plastic veneered, non-fading, resistant against common disinfectants. The surface is slightly structured easy to clean.Very sturdy square tubular steel frame chromium plated. Variocar[®] Viva with elegant aluminium frame, slightly striped.

Drawers with veneered fronts with ergonomic, high quality design handles and special light telescopic guide rollers with click-in-mechanism.

Colours

shelves and drawers in white, drawers with white handles. Variocar® Viva with grey drawer handels. Other beautiful handle colours you can find on page 4.

Castors

modern, light swivel castors with 50, 75 or 100 mm Ø. Options: lockable and/or electrically conductive.

Assembly

The basic trolleys are supplied flat packed. Some of the function trolleys are assembled.

Dimensions

The avaible sizes are indicated.Widths:490/600 or 900mm.Depth:450 mmHeights:530/730/830mm(with castors Ø 75 mm)

Loading capacity

total:	approx. up to 50 kg
shelves:	approx. up to 20 kg
drawers:	approx. up to 10 kg

Special wishes?

We produce all types of special trolleys according to your needs. Call us and let us design your own trolley.




Variocar[®] Viva

ltem	Description	Ref.no.
Viva® 60 basic trolleys	with aluminium	
www.oo basic fromeys	frame	

Variocar[®]Viva by HAEBERLE is equipped with an elegant aluminium frame, slightly striped, frosted aluminium. The ideal trolley for the modern clinic and doctors office. All accessories of the Variocar[®]range fit perfectly. Drawer and shelves are white. Handle grey.

Viva® 60 basic trolleys Viva® 60 - with 1 drawer, white 15585 730 mm high Castors: 75 mm Ø modern design low price! Dim.: 600 x 450 x 730 mm (w x d x h) Up to 4 drawers are possible. Viva® 60 - with 1 drawer, white 15590 830 mm high Castors: 75 mm Ø modern design Dim.: 600 x 450 x 830 mm (w x d x h) low price! Up to 5 drawers are possible. Drawer white 17141 100 mm high

Viva® 60 underneath trolley with aluminium frame



Viva® 60 special edition "titan"

Basic trolley special edition "titan" 730 mm high





- with 1 drawer shelves and drawer plastic veneered style titan Castors: 75 mm Ø

15630

Dim.: 600 x 450 x 730 mm (w x d x h)

Item

Description

Ref.no.

Variocar[®] multipurpose trolleys

If not specified otherwise, all Variocar[®] models are delivered disassembled. Delivery in mounted state on request against surcharge. Variocar[®] trolleys are now available with designed drawer handles in different colours: grey, blue, red violet, yellow, turquoise, white and black. In case you do not indicate the colour of the handle in your order, the trolleys are delivered with white handles.

Variocar® 60 basic trolley 730 mm high





with 1 drawer. Drawer and shelves white. Castors Ø 75 mm

08069

Dim.: 600 x 450 x 730 mm (w x d x h)

Drawer handles

Coloured drawer handles		ergonomic design grey blue violet red yellow turquoise white black	er handles in different colours	13161 13162 13163 13164 13165 13166 13167	
Variocar® 4	5 basic tro		with chromium plated frame	1310/	

. .

Variocar® 45
705 mm high

NEW



Drawers and shelves white Castors: 50 mm Ø		
Dim.: 490 x 450 x 705 mm (w x d x h)		
with 1 drawer	15609	
with 2 drawers	16371	
with 3 drawers	16372	
with 4 drawers	16373	

...

Variocar[®] 45 system parts

Drawer	for Variocar [®] 45 white, 100 mm high Inner dimensions: 392,5 x 384,5 x 74 mm (w x d x h)	15610
Backcover	for Variocar® 45 white, 100 mm high	15751
Drawer insert	with fixed compartments white plastic	15880
	Dim.: 390 x 384 x 57 mm (w x d x h)	
Drawer insert	with variable compartments	13933

Item		Description		Ref.no.
Shelf for Variocar® 45		white, with edge and ho	lding device	17124
Variocar 45		Dim.: 450 x 450 x 7	0 mm (w x d x h)	
Shelf for Variocar® 45		white, without edge with	holding device	17123
		Dim.: 450 x 450 mm		
Variocar® 6	60 basic tr e	olleys w	rith chromium plated frame	
Variocar [®] 60		Castors Ø 75 mm		
730 mm high		Dim.: 600 x 450 x 7	30 mm (w x d x h)	
		- with 1 drawer, white		08069
		- with 2 drawers, white		08072
		- with 3 drawers, white		08075
	0 0	- with 4 drawers, white		08078
Variocar [®] 60		Castors Ø 75 mm		
830 mm high		Dim.: 600 x 450 x 8	30 mm (w x d x h)	
		- with 1 drawer, white		08084
		- with 2 drawers, white		08087
		- with 3 drawers, white		08090
		- with 4 drawers, white		08093
	0 0	- with 5 drawers, white		08096
Variocar [®] 60	0 undernea	ith trolleys	with chromium plated frame	
Variocar® 60		Castors Ø 50 mm	platet	
underneath trolley 530 mm high		Dim.: 600 x 450 x 5	i30 mm (w x d x h)	
-factly .		- with 1 drawer, white		07797
fits perfectly elow examination couches		- with 2 drawers, white		08051
elow exumes couches	00	- with 3 drawers, white		08054
Variocar® 60		Castors Ø 50 mm		
underneath trolley 530 mm high		Dim.: 600 x 450 x 5	530 mm (w x d x h)	
with arranged below shelf		- with 1 drawer, white		08060
		- with 2 drawers, white		08063
	d d			

Variocar[®] 60 system parts

Even the Variocar[®] basic model is particulary variable and can be adjusted to the individual workstyle. All parts can easily be mounted at the Variocar[®] - even subsequently. Complete mounting parts as well as guide rails are included in the respective Ref.no.

Drawers, back covers, insets, keyboard tray

drawer 100 mm high with heated s/s bowl



electronical heat regulation, adjustable from 35 to 43°C, white


Dimensions of heatable surface: 475 x 335 x 20 mm (w x d x h) Overall dimensions: 555 x 413 x 100 mm (w x d x h)

05384

Item	Description	Ref.no.
Drawer 100 mm high	white Inner dimensions: 502,5 x 384,5 x 74 mm (w x d x h)	05370
Drawer 100 mm high lockable	white Inner dimensions: 502,5 x 384,5 x 74 mm (w x d x h) Please order back cover Ref.no. 05394 seperately; otherwise the drawer will be open at the rear side.	05375
Back cover 100 mm high	for Variocar [©] 60 white, 100 mm high Dim.: 555 x 105 mm (w x h)	05394
Drawer 200 mm high with guard rail	white Inner dimensions: 502,5 x 384,5 x 120 mm (w x d x h)	05816
Back cover for drawer 200 mm high	Please use 2 back covers here, 100 mm high Ref.no. 05394 (see above)	
Drawer insert	with fixed compartments, white plastic Dim.: 501 x 384 x 50 mm (w x d x h)	06186
Drawer insert	with variable compartments Dim.: 529 x 384 x 58 mm (w x d x h)	13933
Keyboard tray 60 mm high	extensible to the front, with click-in mechanism. <u>With mousepad</u> , extensible to the right or left side. Tray has to be mounted underneath a drawer or shelf, white edge at front of tray about 60 mm high, edges at the side about 100 mm high;	15177
Shelves		
Shelf for Variocar® 60	white, without edge with mounting device Dim.: 560 x 450 mm (w x d)	05537
Shelf for Variocar® 60	white, with edge and mounting device Dim.: 560 x 450 x 70 mm (w x d x h)	05389
Shelf with extension and mounting device	on right and left side white Extensible shelf dim.: 410 x 260 mm (w x d)	05404

ltem		Description	Ref.no.
Surcharge fo	r castors		
Castors		Surcharge for: - 2 castors, lockable Ø 50 mm, - 2 castors, lockable Ø 75 mm, - 4 castors, electrically conductive Ø 75 mm, - 4 castors Ø 100 mm, - 2 castors, lockable Ø 100 mm, - 4 castors, electrically conductive Ø 100 mm,	05410 05411 05413 05615 05616 05265
Variocar®	shelf trolley	S with chromium plated frame	
Variocar® 45 shelf trolley 830 mm high		with 3 shelves, two with edges. Castors Ø 75 mm. Dim.: 490 x 450 x 830 mm (w x d x h)	14515
Variocar® 60 shelf trolley 830 mm high		with 3 shelves, two with edges, white Castors Ø 75 mm. Dim.: 600 x 450 x 830 mm (w x d x h) Additional price for castors Ø 100 mm, recommendable for frequent use Dim.: 600 x 450 x 870 mm (w x d x h)	05622 05615
Variocar[®] 90 shelf trolley 870 mm high		with 2 shelves with edges, white Castors Ø 100 mm, 2 lockable. Dim.: 900 x 450 x 870 mm (w x d x h)	04509
Variocar®	90 basic tro	with chromium	
Variocar® 90 basic trolley 870 mm high		The "large capacity trolley" offers a lot of space. Castors Ø 100 mm, 2 lockable, with 1 drawer and 2 shelves with edges, white Dim.: 900 x 450 x 870 mm (w x d x h)	04511
Accessories f	or Variocar® 90 m	ultipurpose trolley	
Drawer		100 mm high, white Inner dimensions: 802,5 x 384,5 x 74 mm (w x d x h)	04525

	802,5 x 384,5 x 74 mm (w x d x h)	
Shelf	with edge and mounting device, white	04529
Back cover	100 mm high, white	07559



Item		Description	Ref.no.
nem		Description	KEI.110.
Variocar [®] 60 ergometry trolley	poros	with 2 lockable castors, equipment console 250 mm deep and cable clip. <u>Disassembled.</u>	05443
		Dim.: 600 x 450 mm (w x d) height incl. console: 910 mm	
Variocar® 60 trolley for gynaecology		with 2 lockable castors, 1 drawer 100 mm high with s/s tray and electronical heat regulation, inset for drawer, receptacle with s/s bowl, instrument waste container with polypropylen bowl. Assembled, without lamp and infusion bottle holder. Dim.: 600 x 450 x 830 mm (w x d x h)	05438
		<u>recommendable:</u> socket board	16327
Variocar [∞] 60 writing desk		with inclined surface, inset for writing utensils, built-in shelf, clear height 200 mm, on Variocar [®] basic trolley with 2 lockable castors Ø 75 mm., inclusive one back cover. <u>Assembled.</u> Dim.: 600 x 450 x 1170 mm (w x d x h)	15584
		recommendable: - additional shelf without egde, white - pull out shelf, can be pulled out to the right or left side, white	05537 05404
Variocar® 60 nursing trolley for rooming-in		with 2 lockable castors and upholstered swaddling surface at the top. Drawer 200 mm high, at the right side plastic bowl for cream, powder etc., aluminium coloured collector Piccolo for waste and baby's napkins at the left side with lid and 1 roll of plastic bags 15 ltrs. <u>Assembled.</u> Dim.: 860 x 750 x 950 mm (w x d x h)	14834
swaddling surface		blue design	14875

Variocar[®] 60 cabinet trolley

Cabinet trolleys of the Variocar 60 line are equipped with solid veneered rear and side cover. Thus they are an ideal completion for every modern surgery. Same version as Variocar[®] 60. Color: white. <u>Assembled.</u>

Variocar[®] 60 cabinet trolley 830 mm high



with 1 drawer, 1 shelf (removable) and folding doors, castors Ø 75 mm. $\ensuremath{\textbf{04723}}$

Dim.: 600 x 450 x 830 mm (w x d x h)

Item

Description

Ref.no.

Accessories for Variocar®

All accessories can be easily fitted to Variocar[®]. The reference numbers contain the accessory part complete with attachment fittings.

Waste collectors and waste containers


Waste collector			
Klapp-Kuli	An I	Steelsheet, aluminium colour powder coated; RAL 9006, incl. 1 roll of bags 15 ltrs.	
		Dim.: 310 x 140 x 420 mm (w x d x h)	
		Variocar with 2 drawers or more, can be screwed together with lateral panels	09961
lolder for Nygiene bags		for attachment at right or left side of Klapp-Kuli, aluminium colour	08173
Hygiene bags		paper with imprint, minimum quantity 500 pieces = 1 unit	05192
Waste collector Piccolo		Steelsheet, aluminium colour, powder coated, RAL 9006 or s/s. Available with lid if required. Incl. 1 roll of waste bags 1.5 l.	
		Dim.: 280 x 160 x 410 mm (w x d x h)	
		For Variocar with 2 drawers or more, can be screwed together with side panels aluminium colour, powder coated, RAL 9006 s/s	07873 05138
Piccolo lid		aluminium colour, powder coated, RAL 9006 s/s	07874 09636
		Dim.: 280 x 170 x 20 mm (w x d x h)	
Roll of disposal bags		15 l, roll with 50 bags, grey. Minimum order quantity 10 rolls. For Klapp-Kuli and Piccolo, per roll	05191
		Bulk discounts on request.	
Waste container with plastic bowl		Ø 300 mm greywhite plastic	04613
Waste container with s/s bowl		Ø 300 mm	04615
Instrument waste container		with polypropylene bowl, white with slit lid, can be sterilized.	
-		Dim.: 300 x 230 x 130 mm (w x d x h)	04616

	Description	Ref.no.
nd-aid dispense	e rs (only for Variocar® 60)	
		or our brochure on
	High quality casing, plastic laminated finish, dustproof sealed through plexiglass cover, ideally arranged for easy access; with s/s magnetic holders for scissors, white Dim.: 600 x 220 x 450 mm (w x d x h)	04537
	casing as described above. Practical compartments with inclination for syringes and needles. To be filled from above - material is removed from below, first-in/first-out. white Dim.: 600 x 220 x 450 mm (w x d x h)	04538
	greywhite plastic housing with transparent boxes; 3 big boxes above, e.g. for gauze bandages and 3 boxes with flexible separation wall (one per box) for e.g. absorbent gauze in rolls or other dressing material. Dim.: 600 x 200 x 480 mm (w x d x h)	12475
	The dispenser with the first-in/first-out guarantee in accordance with DIN 58953 The stocks are replenished from the top, the material t from below. This ensures that items placed in first will be used first (first-in/first-out principle). Greywhite plastic casing with clear glass stock holder Consisting of syringe dispenser with 3 stock holders a needle dispensers with 5 holders and attached KOME	also nd BI-Set.
	· · ·	11377
	Dim.: 600 x 200 x 410 mm (w x d x h)	11301
	re about our COMPACT sal. The reference numb	md-aid dispensers (only for Variocar® 60) re about our COMPACT and PicBox® range of dispensers please ask f sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol. The reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference numbers include the holding devices. Image: Sol the reference number in the first-in/first-out guarantee in accordance with DIN 58953 Image: Sol the reference numbers in the sol the reference in holders and attached KOME Image: Sol the reference numbers in the sol the re

Waste disposal boxes for needles etc.

The ref. numbers include the special holder attachment for Variocar[®]. All waste disposal boxes are constructed of environmentally friendly plastics which can be incinerated without leaving behind harmful residues.

Schluckfix used needle container



]	Disposable container for holding approx. 500 used needles, made of black recycled plastic.		
	Dim.: 55 x 100 x 170 mm (w x d x h)		
	Schluckfix set with 20 boxes and Variocar® attachment	09498	
	Bulk discounts on request.		
1	with 100 boxes, without attachment	09490	
	for Schluckfix to Variocar®, separate	04666	

Schluckfix original box

Attachment

11

Item	Description	Ref.no.
Medi-Müll waste disposal container 1,5 liters capacity 1,2 mm wall thickness	made of sunshine yellow polypropylene with HAEBERLE green lid. Offers 3 practical ways for disposing of all types of needles, including vacuum containers. Ideally suited for scalpels, pipettes, broken glass, swabs etc. Dim.: height 152 mm Ø lid 143 mm Ø base 108 mm Medi-Müll set with 20 boxes and Variocar® attachment	04778
Medi-Müll original carton	with 120 Boxen, excluding attachment	04668
Attachment	for Medi-Müll to Variocar®, separate	04670
CUPFIX ampoule opener	grey-white plastic casing, removable holder for ampoule. Diamond file, spring-mounted, in stainless steel casing Dim.: 70 x 150 x 200 mm (w x d x h)	05771
	Replacement diamond file for CUPFIX	04663
Attachment	for CUPFIX to Variocar®, separate	04662

Sundries

Equipment console		for Variocar® 60 aluminium colour RAL 9006.	09499
		Dim.: 600 x 250 x 180 mm (w x d x h)	
		for Variocar® 45 aluminium colour RAL 9006.	17110
		Dim.: 490 x 250 x 180 mm (w x d x h)	
Holding devices		pair, for attachment of injection sets and dressing dispensers at Variocar® trolleys; aluminium colour	05251
Arm support		padded with integral upholstered foam, with 2 attachment hooks, extra sturdy, black	09496

Item		Description	Ref.no.
Catheter holder		made of s/s, 3 compartments, for hanging at Variocar® frame or shelf Dim.: 160 x 80 x 57 mm (w x d x h)	04624
Socket board		4 grounding sockets in accordance with DIN 49440, 16A-250 VAC, light-grey cable HO5VVF, 3G 1.5 mm 3 m in length with moulded grounding plug, green 2-pin switch, quality housing anodised aluminium, incl. 2 grey plastic fastening angles. Dim.: 264 x 44,5 x 44,5 mm (w x d x h) The multiple socket board corresponds to EN 60 601-1 and all other relevant DIN, EN and IEC standards.	² , 16327
Cable and hose holder		grey-white, 950 mm range	10265
Infusion bottle holder		chrome plated, with 4 hooks, Ø 16 mm, 100 cm long, 85 cm extension, with screw lock; including 2 attachment devices	04621
Holder		for oxygen bottles 2 l; mounting with screws upper supporting ring Ø 102 mm, lower supporting ring Ø 84 mm	04811
Holder		for oxygen bottles 5 l with Ø 140 mm, incl. upper holder with fixing tape, Ø of inner supporting ring (lower ring) 122 mm upper holder with fixing tape, separate	17298 16324
Cardiac massage board	0 0	made of Trespa (full core plastic material) Hygienic and resistant against disinfectants. Dim.: 440 x 640 x 10 mm (w x d x h)	13948
Attachment device		for universal use with all Variocar attachment units. Suitable for use on square tubes 20 x 20 mm and round tubes Ø 22 mm dto. with handwheel	04560 06000


Item		Description	Ref.no.
Halux 35 F	C C C C C C C C C C C C C C C C C C C	The high-performance examination lamp with cool light mirror technique, and modern spring balanced arm. Light intensity 32.000 lux at a distance of 0,5 m. Halogen bulb 35W/12V, 10° spotlight, reach 1.000 mm. Please order mounting seperately	15897
Halux [®] 50 S		The extremely lightweight halogen cold- light reflector examination light with gooseneck arm. Light intensity 48.000 lux at a distance of 0.5 m. Very minimal heat applied to object. Ergonomic design. QB-CR 51, 35 W, 12 V halogen bulb, 230 / 12 V safety transformer, 66/100% staged switching, 850 mm reach, without Variocar® attachment Please order attachment device ref.no 05234 separately.	14570
Variogrip attachment device		with special adapter for Variocar®	05234

You will find details of other halogen lights in our lighting brochure.




Variocar[®] measurements for your planning

Basic trolleys 705/730 mm high




all dimensions in mm




Basic trolleys 830 mm high

all dimensions in mm



all dimensions in mm



Underneath trolley 530 mm high

Shelf trolleys 805/830 mm high







HAEBERLE spezializes in particular in providing customized OEM versions for industrial clients. Let us know your specification an we will provide you a product according to your personally requirements.

Please contact us!

HAEBERLE GmbH + Co. KG

Breitwiesenstraße 13 · D-70565 Stuttgart Postfach 800524 · D-70505 Stuttgart Telefon ++49 (0) 7 11/7 83 14-0 Telefax ++49 (0) 7 11/7 83 14-77 e-mail: info@haeberle-med.de www.haeberle-med.de

Your medical distributor